





同步带轮

Timina Belt pulleys







MXL025(2.032mm)

规格代码 PrtCode	齿数 Numberof Teeth	结构 Type	材料 Mt	Dp	De	Df	Dm	Di	F	L	d	挡板号 FlingeCode
16MXL025	16	1F	AL	10.35	9.84	15	15	-	8.5	16	-	502
18MXL025	18	1F	AL	11.64	11.12	16	16	-	8.5	16	-	503
20MXL025	20	1F	AL	12.94	12.43	16	16	-	8.5	16	-	503
22MXL025	22	6F	AL	14.23	13.72	18	10	-	11	16	-	504
24MXL025	24	6F	AL	15.52	15.01	20	10	-	11	16	-	505
28MXL025	28	6F	AL	18.11	17.60	25	11	-	11	16	-	506
30MXL025	30	6F	AL	19.40	18.90	25	12	-	11	16	-	506
32MXL025	32	6F	AL	20.70	20.19	25	14	-	11	16	-	506
36MXL025	36	6F	AL	23.29	22.78	28	16	-	11	16	-	507
40MXL025	40	6F	AL	25.87	25.37	32	18	-	11	16	-	509
42MXL025	42	6F	AL	27.17	26.67	32	18	-	11	16	-	509
44MXL025	44	6F	AL	28.46	27.95	37	18	-	11	16	-	510
48MXL025	48	6	AL	31.05	30.54	-	20	-	11	16	-	-
60MXL025	60	6	AL	38.81	38.30	-	24	-	11	16	-	-
72MXL025	72	6	AL	46.57	46.06	-	25	-	11	16	-	-

XL.037(5.08mm)

规格代码 PrtCode	齿数 NumberofTeeth	结构 Type	材料 Mt	Dp	De	Df	Dm	Di	F	L	d	挡板号 FIngeCode
10XL037	10	6F	AL OR STEEL	16.17	15.66	23	10	-	14.3	20	-	1
11XL037	11	6F	AL OR STEEL	17.79	17.28	23	10	-	14.3	20	-	1
12XL037	12	6F	AL OR STEEL	19.40	18.90	25	10	-	14.3	20	-	2
13XL037	13	6F	AL OR STEEL	21.02	20.51	25	10	-	14.3	20	-	2
14XL037	14	6F	AL OR STEEL	22.64	22.13	28	15	-	14.3	20	-	4
15XL037	15	6F	AL OR STEEL	24.26	23.75	28	15	-	14.3	20	-	4
16XL037	16	6F	AL OR STEEL	25.87	25.36	32	16	-	14.3	20	-	6
17XL037	17	6F	AL OR STEEL	27.49	26.98	32	20	-	14.3	20	-	6
18XL037	18	6F	AL OR STEEL	29.11	28.60	35	20	-	14.3	20	-	7
19XL037	19	6F	AL OR STEEL	30.72	30.22	35	20	-	14.3	22	-	7
20XL037	20	6F	AL OR STEEL	33.34	31.83	38	24	-	14.3	22	-	9
21XL037	21	6F	AL OR STEEL	33.96	33.45	38	24	-	14.3	22	-	9
22XL037	22	6F	AL OR STEEL	35.57	35.07	42	25	-	14.3	22	-	13
24XL037	24	6F	AL OR STEEL	38.81	38.30	44	30	-	14.3	22	8	12
26XL037	26	6F	AL OR STEEL	42.04	41.53	48	30	-	14.3	22	8	11
27XL037	27	6F	AL OR STEEL	43.66	43.15	48	34	-	14.3	22	8	11
28XL037	28	6F	AL OR STEEL	45.28	44.77	51	34	-	14.3	22	8	16
29XL037	29	6F	AL OR STEEL	46.89	46.39	51	34	-	14.3	22	8	16
30XL037	30	6F	AL OR STEEL	48.51	48.00	54	38	-	14.3	22	8	18
32XL037	32	6F	AL OR STEEL	74.00	5124.00	57	38	-	14.3	25	8	20
34XL037	34	6	AL OR STEEL	54.98	5447.00	-	45	-	14.3	25	8	-
35XL037	35	6	AL OR STEEL	56.60	56.09	-	45	-	14.3	25	8	-
36XL037	36	6	AL OR STEEL	58.21	57.70	-	45	-	14.3	25	8	-
38 XL 037	38	6	AL OR STEEL	45.00	60.94	-	45	-	14.3	25	8	-
39 XL 037	39	6	AL OR STEEL	53.06	62.56	-	45	-	14.3	25	8	-
40 XL 037	40	6	AL OR STEEL	54.68	64.17	-	45	-	14.3	25	8	-
41 XL037	41	6	AL OR STEEL	56.30	65.79	-	45	-	14.3	25	8	-
42XL 037	42	6	AL OR STEEL	57.97	67.41	-	45	-	14.3	25	8	-
43 XL037	43	6	AL OR STEEL	59.53	69.02	-	45	-	14.3	25	8	-
44 XL 037	44	6	AL OR STEEL	71.15	70.64	-	45	-	14.3	25	8	-
45 XL037	45	6W	AL OR STEEL	72.77	72.26	-	45	61	14.3	25	10	-
46 XL 037	46	6W	AL OR STEEL	74.38	73.87	-	45	61	14.3	25	10	-
47 XL 037	47	6W	AL OR STEEL	76.00	75.49	-	45	61	14.3	25	10	-
48 XL 037	48	6W	AL OR STEEL	77.62	77.11	-	45	61	14.3	25	10	-
49 XL037	49	6W	AL OR STEEL	79.23	78.73	-	45	61	14.3	25	10	-
52 XL 037	52	6W	AL OR STEEL	84.08	83.58	-	45	67	14.3	25	10	-
56 XL.037	56	6W	AL OR STEEL	90.55	90.04	-	45	80	14.3	25	10	-
57 XL 037	57	6W	AL OR STEEL	92.17	91.66	-	45	80	14.3	25	10	-
58 XL 037	58	6W	AL OR STEEL	93.79	93.28	-	45	80	14.3	25	10	-
59 XL 037	59	6W	AL OR STEEL	95.40	94.90	-	45	80	14.3	25	10	-
60 XL 037	60	6W	AL OR STEEL	97.02	96.51	-	45	80	14.3	25	10	-
68 XL 037	68	6W	AL OR STEEL	109.96	109.45	-	45	100	14.3	25	10	-
69 XL 037	69	6W	AL OR STEEL	111.57	111.07	-	45	100	14.3	25	10	-
70 XL 037	70	6W	AL OR STEEL	113.19	112.68	-	45	100	14.3	25	10	-
71 XL 037	71	6W	AL OR STEEL	114.81	114.30	-	45	100	14.3	25	10	-
72 XL 037	72	6W	AL OR STEEL	116.42	115.92	-	45	100	14.3	25	10	-

L050 (9. 525mm)

规格代码 PrtCode	齿数 Number of Teeth	结构 Type	材料 Mt	Dp	De	Df	Dm	Di	F	L	d	挡板号 FlngeCode
10L050	10	6F	STEEL	30.32	29.56	37	—	—	19	28	8	50
11L050	11	6F	STEEL	33.35	32.59	37	—	—	19	30	8	50
12L050	12	6F	STEEL	36.38	35.62	43	—	—	19	30	8	52
13L050	13	6F	STEEL	39.40	38.65	44	—	—	19	30	8	83
14L050	14	6F	STEEL	42.45	41.68	48	—	—	19	30	8	54
15L050	15	6F	STEEL	45.48	44.72	51	—	—	19	30	8	55
16L050	16	6F	STEEL	48.51	47.75	54	—	—	19	32	8	56
17L050	17	6F	STEEL	51.54	50.78	57	—	—	19	32	10	57
18L050	18	6F	STEEL	54.57	53.80	60	—	—	19	32	10	58
19L050	19	6F	STEEL	57.61	56.84	64	—	—	19	32	10	59
20L050	20	6F	STEEL	60.64	59.88	66	—	—	19	32	10	60
21L050	21	6F	STEEL	63.67	62.90	70	—	—	19	32	10	61
22L050	22	6F	STEEL	66.70	65.94	75	—	—	19	32	10	62
23L050	23	6F	STEEL	69.73	68.97	79	55	—	19	32	10	63
24L050	24	6F	STEEL	72.77	72.00	79	55	—	19	32	10	63
25L050	25	6F	STEEL	75.80	75.04	82.5	58	—	19	32	10	64
26L050	26	6F	STEEL	78.83	78.07	86	58	—	19	32	11	65
27L050	27	6F	STEEL	81.86	81.10	86	58	—	19	32	11	65
28L050	28	6F	STEEL	84.89	84.13	91	58	—	19	32	11	66
29L050	29	6F	STEEL	87.93	87.16	94	58	—	19	32	11	67
30L050	30	6F	STEEL	90.96	90.20	97	70	—	19	32	11	68
32L050	32	6F	STEEL	97.02	96.26	102	70	—	19	32	11	70
33L050	33	6F	STEEL	100.05	99.29	106	70	—	19	32	11	71
34L050	34	6F	STEEL	103.08	2.32	112	70	—	19	32	11	72
35L050	35	6F	STEEL	106.12	105.35	112	70	—	19	32	11	72
36L050	36	6F	STEEL	109.15	108.39	115	70	—	19	32	11	74
40L050	40	6WF	STEEL	121.28	120.50	128	70	100	19	32	11	78
41L050	41	6WF	STEEL	124.31	123.55	135	70	103	19	32	11	80
42L050	42	6WF	STEEL	127.34	126.58	135	70	106	19	32	11	80
44L050	44	6WF	STEEL	133.40	132.00	142	70	112	19	32	11	81
45L050	45	6WF	STEEL	136.44	135.67	142	70	115	19	32	11	81
47L050	47	6WF	STEEL	142.50	141.74	150	70	121	19	32	11	85
48L050	48	6WF	STEEL	145.53	144.77	150	70	124	19	32	11	85
49L050	49	6W	CASTIRON	148.56	147.80	—	70	127	19	32	14	—
50L050	50	6W	CASTIRON	151.60	150.83	—	70	130	19	32	14	—
52L050	52	6W	CASTIRON	157.66	156.90	—	70	136	19	32	14	—
56L050	56	6W	CASTIRON	169.79	169.02	—	70	149	19	32	14	—
57L050	57	6W	CASTIRON	172.82	172.06	—	70	152	19	32	14	—
60L050	60	6W	CASTIRON	181.91	181.15	—	75	160	19	42	14	—
65L050	65	6A	CASTIRON	197.07	196.31	—	75	176	19	42	14	—
66L050	66	6A	CASTIRON	200.11	199.34	—	75	179	19	42	14	—
72L050	72	6A	CASTIRON	218.30	217.53	—	75	197	19	42	14	—
84L050	84	6A	CASTIRON	154.68	253.92	—	75	233	19	42	14	—
90L050	90	6A	CASTIRON	272.87	272.11	—	75	252	19	42	14	—
96L050	96	6A	CASTIRON	291.06	290.30	—	75	269	19	42	14	—
120L050	120	6A	CASTIRON	363.83	363.07	—	75	342	19	42	14	—

L075 (9. 525mm)

规格代码 PrtCode	齿数 Number of Teeth	结构 Type	材料 Mt	Dp	De	Df	Dm	Di	F	L	d	挡板号 FlangeCode
14L075	14	6F	STEEL	42.45	41.68	48	28	-	25.4	38	11	54
15L075	15	6F	STEEL	45.48	44.72	51	34	-	25.4	38	11	55
16L075	16	6F	STEEL	48.51	47.75	54	36	-	25.4	38	11	56
17L075	17	6F	STEEL	51.54	50.78	57	36	-	25.4	38	11	57
18L075	18	6F	STEEL	54.57	53.81	60	40	-	25.4	38	11	58
19L075	19	6F	STEEL	57.61	56.84	64	40	-	25.4	38	11	59
20L075	20	6F	STEEL	60.64	59.88	66	40	-	25.4	38	11	60
21L075	21	6F	STEEL	63.67	62.91	70	45	-	25.4	38	11	61
22L075	22	6F	STEEL	66.70	65.94	75	45	-	25.4	38	11	62
23L075	23	6F	STEEL	69.73	68.97	79	55	-	25.4	38	11	63
24L075	24	6F	STEEL	72.77	72.00	79	55	-	25.4	38	11	63
25L075	25	6F	STEEL	75.80	75.04	82.5	58	-	25.4	38	11	64
26L075	26	6F	STEEL	78.83	78.07	86	58	-	25.4	38	11	65
27L075	27	6F	STEEL	81.86	81.10	86	58	-	25.4	38	11	65
28L075	28	6F	STEEL	84.89	84.13	91	58	-	25.4	38	11	66
29L075	29	6F	STEEL	87.93	87.16	94	58	-	25.4	38	11	67
30L075	30	6F	STEEL	90.96	90.20	97	70	-	25.4	38	11	68
32L075	32	6F	STEEL	97.02	96.26	102	70	-	25.4	38	11	70
33L075	33	6F	STEEL	100.05	99.29	106	70	-	25.4	38	11	71
34L075	34	6F	STEEL	103.08	102.32	112	70	-	25.4	38	11	72
35L075	35	6F	STEEL	106.12	105.35	112	70	-	25.4	38	11	72
36L075	36	6F	STEEL	109.15	108.39	115	70	-	25.4	38	11	74
40L075	40	6WF	STEEL	121.28	120.51	128	70	100	25.4	38	11	78
41L075	41	6WF	STEEL	124.31	123.55	135	70	103	25.4	38	11	80
42L075	42	6WF	STEEL	127.34	126.58	135	70	106	25.4	38	11	80
44L075	44	6WF	STEEL	133.40	132.64	142	70	112	25.4	38	11	81
45L075	45	6WF	STEEL	136.44	135.67	142	70	115	25.4	38	11	81
47L075	47	6WF	STEEL	142.50	141.74	150	70	121	25.4	38	11	85
48L075	48	6WF	STEEL	145.53	144.77	150	70	124	25.4	38	11	85
49L075	49	6W	CASTIRON	148.56	147.80	-	70	127	25.4	38	14	-
50L075	50	6W	CASTIRON	151.60	150.83	-	70	130	0.4	38	14	-
52L075	52	6W	CASTIRON	157.66	156.90	-	70	136	25.4	38	14	-
56L075	56	6W	CASTIRON	169.79	169.02	-	70	149	25.4	38	14	-
57L075	57	6W	CASTIRON	172.82	172.06	-	70	152	25.4	38	14	-
60L075	60	6W	CASTIRON	181.90	181.15	-	75	160	25.4	45	14	-
60L075	65	6A	CASTIRON	197.07	196.30	-	75	176	25.4	45	14	-
66L075	66	6A	CASTIRON	200.11	199.34	-	75	179	25.4	45	14	-
72L075	72	6A	CASTIRON	218.30	217.53	-	75	197	25.4	45	14	-
84L075	84	6A	CASTIRON	254.68	253.92	-	75	233	25.4	45	14	-
90L075	90	6A	CASTIRON	272.87	272.10	-	75	252	25.4	45	14	-
96L075	96	6A	CASTIRON	291.06	290.30	-	75	269	25.4	45	14	-
120L075	120	6A	CASTIRON	363.83	363.07	-	75	342	25.4	45	14	-

L100 (9. 525mm)

规格代码 PrtCode	齿数 Numberof Teet	结构 Type	材料 Mt	Dp	De	Df	Dm	Di	F	L	d	挡板号 FlngeCode
10L100	10	6F	STEEL	30.32	29.56	37	20	—	31.8	45	8	50
11L100	11	6F	STEEL	33.35	32.59	37	22	—	31.8	45	8	50
12L100	12	6F	STEEL	36.38	35.62	43	24	—	31.8	45	8	52
13L100	13	6F	STEEL	39.41	38.65	44	28	—	31.8	45	8	83
14L100	14	6F	STEEL	42.45	41.68	48	28	—	31.8	45	11	54
15L100	15	6F	STEEL	45.48	44.72	51	34	—	31.8	45	11	55
16L100	16	6F	STEEL	48.51	47.75	54	36	—	31.8	45	11	56
17L100	17	6F	STEEL	51.54	50.78	57	36	—	31.8	45	11	57
18L100	18	6F	STEEL	54.57	53.81	60	40	—	31.8	45	11	58
19L100	19	6F	STEEL	57.61	56.84	64	40	—	31.8	45	11	59
20L100	20	6F	STEEL	60.64	59.88	66	40	—	31.8	45	11	60
21L100	21	6F	STEEL	63.67	62.91	70	45	—	31.8	45	11	61
22L100	22	6F	STEEL	66.70	65.94	75	45	—	31.8	45	11	62
23L100	23	6F	STEEL	69.73	68.07	79	55	—	31.8	45	11	63
24L100	24	6F	STEEL	72.77	72.00	79	55	—	31.8	45	11	63
25L100	25	6F	STEEL	75.80	75.04	82.5	58	—	31.8	45	11	64
26L100	26	6F	STEEL	78.83	78.07	87	58	—	31.8	45	11	65
27L100	27	6F	STEEL	81.86	81.10	87	58	—	31.8	45	11	65
28L100	28	6F	STEEL	84.89	84.13	91	58	—	31.8	45	11	66
29L100	29	6F	STEEL	87.93	87.16	94	58	—	31.8	45	11	67
30L100	30	6F	STEEL	90.96	90.20	97	70	—	31.8	45	11	68
32L100	32	6F	STEEL	97.02	96.26	102	70	—	31.8	45	11	70
33L100	33	6F	STEEL	100.05	99.29	106	70	—	31.8	45	11	71
34L100	34	6F	STEEL	103.08	102.32	112	70	—	31.8	45	11	70
35L100	35	6F	STEEL	106.12	105.35	112	70	—	31.8	45	11	72
36L100	36	6F	STEEL	109.15	108.39	115	70	—	31.8	45	11	74
40L100	40	6WF	STEEL	121.28	120.51	128	70	100	31.8	45	11	78
41L100	41	6WF	STEEL	124.31	123.55	135	70	103	31.8	45	11	80
42L100	42	6WF	STEEL	127.34	126.58	135	70	106	31.8	45	11	80
44L100	44	6WF	STEEL	133.40	132.64	142	70	112	31.8	45	11	81
45L100	45	6WF	STEEL	136.44	135.67	142	70	115	31.8	45	11	81
47L100	47	6WF	STEEL	142.50	141.74	150	70	121	31.8	45	11	85
48L100	48	6WF	STEEL	145.53	144.77	150	70	124	31.8	45	11	85
49L100	49	6W	CASTIRON	148.56	147.80	—	70	127	31.8	45	14	—
50L100	50	6W	CASTIRON	151.60	150.83	—	70	130	31.8	45	14	—
52L100	52	6W	CASTIRON	157.66	156.90	—	70	136	31.8	45	14	—
56L100	56	6W	CASTIRON	169.79	169.02	—	70	149	31.8	45	14	—
57L100	57	6W	CASTIRON	172.82	172.06	—	70	152	31.8	45	14	—
60L100	60	6W	CASTIRON	181.91	181.15	—	75	160	31.8	50	14	—
65L100	65	6A	CASTIRON	197.07	196.31	—	75	176	31.8	50	14	—
66L100	66	6A	CASTIRON	200.10	199.34	—	75	179	31.8	50	14	—
72L100	72	6A	CASTIRON	218.30	217.53	—	75	197	31.8	50	14	—
84L100	84	6A	CASTIRON	254.68	253.92	—	75	233	31.8	50	14	—
90L100	90	6A	CASTIRON	272.87	272.11	—	75	252	31.8	50	14	—
96L100	96	6A	CASTIRON	291.06	290.30	—	75	269	31.8	50	14	—
120L100	120	6A	CASTIRON	363.83	363.07	—	75	342	31.8	50	14	—

H075 (12. 700mm)												
规格代码 PrtCode	齿数 Number of Teet	结构 Type	材料 Mt	Dp	De	Df	Dm	Di	F	L	d	挡板号 FlngeCode
14H075	14	6F	STEEL	56.60	55.22	64	40	-	26.4	40	8	59
15H075	15	6F	STEEL	60.64	59.27	66.5	45	-	26.4	40	8	60
16H075	16	6F	STEEL	64.68	63.31	70	45	-	26.4	40	8	61
17H075	17	6F	STEEL	68.72	67.35	75	45	-	26.4	40	8	62
18H075	18	6F	STEEL	72.77	71.39	79	55	-	26.4	40	11	63
19H075	19	6F	STEEL	76.81	75.44	82.5	60	-	26.4	40	11	64
20H075	20	6F	STEEL	80.85	79.48	87	62	-	26.4	40	11	76
21H075	21	6F	STEEL	84.89	83.52	91	65	-	26.4	40	11	66
22H075	22	6F	STEEL	88.94	87.56	94	68	-	26.4	40	11	67
23H075	23	6F	STEEL	92.98	91.61	97	72	-	26.4	40	11	68
24H075	24	6F	STEEL	97.02	95.65	102	72	-	26.4	40	11	70
25H075	25	6F	STEEL	101.06	99.69	106	72	-	26.4	40	11	71
26H075	26	6F	STEEL	105.10	103.73	112	80	-	26.4	40	11	72
27H075	27	6F	STEEL	109.15	107.78	115	80	-	26.4	40	11	74
28H075	28	6F	STEEL	113.19	111.82	120	80	-	26.4	40	11	75
29H075	29	6F	STEEL	117.23	115.86	120	80	-	26.4	40	11	75
30H075	30	6F	STEEL	121.28	119.90	128	80	-	26.4	40	11	78
32H075	32	6F	STEEL	129.36	127.99	135	80	-	26.4	40	11	80
33H075	33	6F	STEEL	133.40	132.03	142	80	-	26.4	40	11	81
34H075	34	6F	STEEL	137.45	136.07	142	80	-	26.4	40	11	81
35H075	35	6F	STEEL	141.49	140.12	150	80	-	26.4	40	11	85
36H075	36	6F	STEEL	145.53	144.16	150	80	118	26.4	40	11	85
38H075	38	6F	STEEL	153.62	152.24	158	80	126	26.4	40	11	86
40H075	40	6F	STEEL	161.70	160.33	168	80	134	26.4	40	11	90
42H075	42	6F	STEEL	169.79	168.41	180	80	140	26.4	40	11	94
44H075	44	6WF	CASTIRON	177.87	176.50	184	80	150	26.4	40	14	95
45H075	45	6WF	CASTIRON	181.90	180.54	192	80	154	26.4	40	14	96
48H075	48	6WF	CASTIRON	194.04	192.67	200	90	166	26.4	45	14	100
49H075	49	6W	CASTIRON	198.08	196.71	-	90	170	26.4	45	14	-
50H075	50	6W	CASTIRON	202.13	200.75	-	90	174	26.4	45	14	-

H100 (12.700mm)

规格代码 PrtCode	齿数 Number of Teet	结构 Type	材料 Mt	Dp	De	Df	Dm	Di	F	L	d	挡板号 FlngeCode
14H100	14	6F	STEEL	56.60	55.22	64	40	-	31.8	45	11	59
15H100	15	6F	STEEL	60.64	59.27	66.5	45	-	31.8	45	11	60
16H100	16	6F	STEEL	64.68	63.31	70	45	-	31.8	45	11	61
17H100	17	6F	STEEL	68.72	67.35	75	45	-	31.8	45	11	62
18H100	18	6F	STEEL	72.77	71.39	79	55	-	31.8	45	14	63
19H100	19	6F	STEEL	76.81	75.44	82.5	60	-	31.8	45	14	64
20H100	20	6F	STEEL	80.85	79.48	87	62	-	31.8	45	14	76
21H100	21	6F	STEEL	84.89	83.52	91	65	-	31.8	45	14	66
22H100	22	6F	STEEL	88.94	87.56	94	68	-	31.8	45	14	67
23H100	23	6F	STEEL	92.98	91.61	97	72	-	31.8	45	14	68
24H100	24	6F	STEEL	97.02	95.65	102	72	-	31.8	45	14	70
25H100	25	6F	STEEL	101.06	99.69	106	72	-	31.8	45	14	71
26H100	26	6F	STEEL	105.11	103.73	112	80	-	31.8	45	14	72
27H100	27	6F	STEEL	109.15	107.78	115	80	-	31.8	45	14	74
28H100	28	6F	STEEL	113.19	111.82	120	80	-	31.8	45	14	75
29H100	29	6F	STEEL	117.23	115.86	120	80	-	31.8	45	14	75
30H100	30	6F	STEEL	121.28	119.90	128	80	-	31.8	45	14	78
32H100	32	6F	STEEL	129.36	127.99	135	80	-	31.8	45	14	80
33H100	33	6F	STEEL	133.40	132.03	142	80	-	31.8	45	14	81
34H100	34	6F	STEEL	137.45	136.07	142	80	-	31.8	45	14	81
35H100	35	6F	STEEL	141.49	140.12	150	80	-	31.8	45	14	85
36H100	36	6WF	STEEL	145.53	144.16	150	80	118	31.8	45	14	85
38H100	38	6WF	STEEL	153.62	152.24	158	80	123	31.8	45	14	86
40H100	40	6WF	STEEL	161.70	160.33	168	80	134	31.8	45	14	90
42H100	42	6WF	STEEL	169.79	168.41	180	80	140	31.8	45	14	94
44H100	44	6WF	CASTIRON	177.87	176.50	184	80	150	31.8	50	14	95
45H100	45	6WF	CASTIRON	181.90	180.54	192	80	154	31.8	50	14	96
48H100	48	6WF	CASTIRON	194.04	192.67	200	90	166	31.8	50	14	100
49H100	49	6W	CASTIRON	198.08	196.71	-	90	170	31.8	50	19	-
50H100	50	6W	CASTIRON	202.13	200.75	-	90	174	31.8	50	19	-
52H100	52	6W	CASTIRON	210.21	208.84	-	90	182	31.8	50	19	-
58H100	58	6A	CASTIRON	234.47	233.09	-	90	207	31.8	50	19	-
60H100	60	6A	CASTIRON	242.55	241.18	-	90	215	31.8	50	19	-
70H100	70	6A	CASTIRON	282.98	281.61	-	100	255	31.8	55	19	-
72H100	72	6A	CASTIRON	291.06	289.69	-	100	263	31.8	55	19	-
82H100	82	6A	CASTIRON	331.49	330.12	-	100	304	31.8	55	19	-
84H100	84	6A	CASTIRON	339.57	338.00	-	100	312	31.8	55	19	-
94H100	94	6A	CASTIRON	380.00	378.63	-	120	352	31.8	60	19	-
96H100	96	6A	CASTIRON	388.08	386.71	-	120	360	31.8	60	19	-
106H100	106	6A	CASTIRON	428.51	427.14	-	120	401	31.8	60	19	-
116H100	116	6A	CASTIRON	468.93	467.56	-	120	441	31.8	60	19	-
118H100	118	6A	CASTIRON	477.02	475.65	-	120	449	31.8	60	19	-
120H100	120	6A	CASTIRON	485.10	483.73	-	120	458	31.8	60	19	-
150H100	150	6A	CASTIRON	606.38	605.00	-	120	579	31.8	60	19	-
152H10C	152	6A	CASTIRON	614.47	613.09	-	120	587	31.8	60	19	-
154H100	154	6A	CASTIRON	622.55	621.18	-	120	595	31.8	60	19	-
156H100	156	6A	CASTIRON	630.64	629.26	-	120	603	31.8	60	19	-

H150 (12. 700mm)

规格代码 PrtCode	齿数 Number of Teet	结构 Type	材料 Mt	Dp	De	Df	Dm	Di	F	L	d	挡板号 FIIngeCode
14H150	14	6F	STEEL	56.60	55.22	64	40	-	46	58	11	59
15H150	15	6F	STEEL	60.64	59.27	66.5	45	-	46	58	11	60
16H150	16	6F	STEEL	64.68	63.31	70	45	-	46	58	11	61
17H150	17	6F	STEEL	68.72	67.35	75	45	-	46	58	11	62
18H150	18	6F	STEEL	72.77	71.39	79	55	-	46	58	14	63
19H150	19	6F	STEEL	76.81	75.44	82.5	60	-	46	58	14	64
20H150	20	6F	STEEL	80.85	79.48	87	62	-	46	58	14	76
21H150	21	6F	STEEL	84.89	83.52	91	65	-	46	58	14	66
22H150	22	6F	STEEL	88.94	87.56	94	68	-	46	58	14	67
23H150	23	6F	STEEL	92.98	91.61	97	72	-	46	58	14	68
24H150	24	6F	STEEL	97.02	95.65	102	72	-	46	58	14	70
25H150	25	6F	STEEL	101.06	99.69	106	72	-	46	58	14	71
26H150	26	6F	STEEL	105.1	103.73	112	80	-	46	58	14	72
27H150	27	6F	STEEL	109.15	107.78	115	80	-	46	58	14	74
28H150	28	6F	STEEL	113.19	111.82	120	80	-	46	58	14	75
29H150	29	6F	STEEL	117.23	115.86	120	80	-	46	58	14	75
30H150	30	6F	STEEL	121.28	119.90	128	80	-	46	58	14	78
32H150	32	6F	STEEL	129.36	127.99	135	80	-	46	58	14	80
33H150	33	6F	STEEL	133.40	132.03	142	80	-	46	58	14	81
34H150	34	6F	STEEL	137.45	136.07	142	80	-	46	58	14	81
35H150	35	6F	STEEL	141.49	140.12	150	80	-	46	58	14	85
36H150	36	6WF	STEEL	145.53	144.16	150	80	118	46	58	14	85
38H150	38	6WF	STEEL	153.62	152.24	158	80	126	46	58	14	86
40H150	40	6WF	STEEL	161.70	160.33	168	80	134	46	58	14	90
42H150	42	6WF	STEEL	169.79	168.40	180	80	140	46	58	19	94
44H150	44	6WF	CASTIRON	177.87	176.50	184	80	150	46	58	19	95
45H150	45	6WF	CASTIRON	181.90	180.54	192	80	154	46	58	19	96
48H150	48	6WF	CASTIRON	194.04	192.67	200	90	166	46	65	19	100
49H150	49	6W	CASTIRON	198.08	196.70	-	90	170	46	65	19	-
50H150	50	6W	CASTIRON	202.13	200.75	-	90	174	46	65	19	-
52H150	52	6W	CASTIRON	210.21	208.84	-	90	182	46	65	19	-
58H150	58	6A	CASTIRON	234.47	233.09	-	90	207	46	65	19	-
60H150	60	6A	CASTIRON	242.55	241.18	-	90	215	46	65	19	-
70H150	70	6A	CASTIRON	282.98	281.60	-	100	255	46	65	24	-
72H150	72	6A	CASTIRON	291.06	289.69	-	100	263	46	65	24	-
82H150	82	6A	CASTIRON	331.49	330.12	-	100	304	46	65	24	-
84H150	84	6A	CASTIRON	339.57	338.20	-	100	312	46	65	24	-
94H150	94	6A	CASTIRON	380.00	378.63	-	120	352	46	65	24	-
96H150	96	6A	CASTIRON	388.08	386.71	-	120	360	46	65	24	-
106H150	106	6A	CASTIRON	428.51	427.14	-	120	401	46	65	24	-
116H150	116	6A	CASTIRON	468.93	467.56	-	120	441	46	65	24	-
118H150	118	6A	CASTIRON	477.02	475.65	-	120	449	46	65	24	-
120H150	120	6A	CASTIRON	485.10	483.73	-	120	458	46	65	24	-
150H150	150	6A	CASTIRON	606.38	605.01	-	120	579	46	65	24	-
152H150	152	6A	CASTIRON	614.47	613.09	-	120	587	46	65	24	-
154H150	154	6A	CASTIRON	522.55	621.18	-	120	595	46	65	24	-
156H150	156	6A	CASTIRON	630.64	629.26	-	120	603	46	65	24	-

H200 (12. 700mm)

规格代码 PrtCode	齿数 Number of Teeth	结构 Type	材料 Mt	DD	De	Df	Dm	Di	F	L	d	挡板号 FlangeCod
14H200	14	6F	STEEL	56.60	55.22	64	40	-	58.7	70	11	59
15H200	15	6F	STEEL	60.64	59.27	66.5	45	-	58.7	70	11	60
16H200	16	6F	STEEL	64.68	63.31	70	45	-	58.7	70	11	61
17H200	17	6F	STEEL	68.72	67.35	75	45	-	58.7	70	11	62
18H200	18	6F	STEEL	72.77	71.39	79	55	-	58.7	70	14	63
19H200	19	6F	STEEL	76.81	75.44	82.5	60	-	58.7	70	14	64
20H200	20	6F	STEEL	80.85	79.48	87	62	-	58.7	70	14	76
21H200	21	6F	STEEL	84.89	83.52	91	65	-	58.7	70	14	66
22H200	22	6F	STEEL	88.94	87.56	94	68	-	58.7	70	14	67
23H200	23	6F	STEEL	92.98	91.61	97	72	-	58.7	70	14	68
24H200	24	6F	STEEL	97.02	95.65	102	72	-	58.7	70	14	70
25H200	25	6F	STEEL	101.06	99.69	106	72	-	58.7	70	14	71
26H200	26	6F	STEEL	105.10	103.73	112	80	-	58.7	70	14	72
27H200	27	6F	STEEL	109.15	107.78	115	80	-	58.7	70	14	74
28H200	28	6F	STEEL	113.19	111.82	120	80	-	58.7	70	14	75
29H200	29	6F	STEEL	117.23	115.86	120	80	-	58.7	70	14	75
30H200	30	6F	STEEL	121.28	119.90	128	80	-	58.7	70	14	78
32H200	32	6F	STEEL	129.36	127.99	135	80	-	58.7	70	14	80
33H200	33	6F	STEEL	133.40	132.03	142	80	-	58.7	70	14	81
34H200	34	6F	STEEL	137.45	136.07	142	80	-	58.7	70	14	81
35H200	35	6F	STEEL	141.49	140.12	150	80	-	58.7	70	14	85
36H200	36	6WF	STEEL	145.53	144.16	150	80	118	58.7	70	14	85
38H200	38	6WF	STEEL	153.62	152.24	158	80	126	58.7	70	14	86
40H200	40	6WF	STEEL	161.70	160.33	168	80	134	58.7	70	14	90
42H200	42	6WF	CASTIRON	169.79	168.41	180	80	140	58.7	70	19	94
44H200	44	6WF	CASTIRON	177.87	176.50	184	80	150	58.7	70	19	95
45H200	45	6WF	CASTIRON	181.90	180.54	192	80	154	58.7	70	19	96
48H200	48	6WF	CASTIRON	194.04	192.67	200	90	166	58.7	75	24	100
49H200	49	6W	CASTIRON	198.08	196.71	-	90	170	58.7	75	24	-
50H200	50	6W	CASTIRON	202.13	200.75	-	90	174	58.7	75	24	-
52H150	52	6W	CASTIRON	210.21	208.84	-	90	182	58.7	75	24	-
58H200	58	6A	CASTIRON	234.47	233.09	-	90	207	58.7	75	24	-
60H200	60	6A	CASTIRON	242.55	241.18	-	90	215	58.7	75	24	-
70H200	70	6A	CASTIRON	282.98	281.61	-	100	255	58.7	75	28	-
72H200	72	6A	CASTIRON	291.06	289.69	-	100	263	58.7	75	28	-
82H200	82	6A	CASTIRON	331.49	330.12	-	100	304	58.7	75	28	-
84H200	84	6A	CASTIRON	339.57	338.20	-	100	312	58.7	75	28	-
94H200	94	6A	CASTIRON	380.00	378.63	-	120	352	58.7	75	28	-
96H200	96	6A	CASTIRON	388.08	386.71	-	120	360	58.7	75	28	-
106H200	106	6A	CASTIRON	428.51	427.14	-	120	401	58.7	75	28	-
116H200	116	6A	CASTIRON	468.93	467.56	-	120	441	58.7	75	28	-
118H200	118	6A	CASTIRON	477.02	475.65	-	120	449	58.7	75	28	-
120H200	120	6A	CASTIRON	485.10	483.73	-	120	458	58.7	75	28	-
150H200	150	6A	CASTIRON	606.38	605.01	-	120	579	58.7	75	28	-
152H200	152	6A	CASTIRON	614.47	613.09	-	120	587	58.7	75	28	-
154H200	154	6A	CASTIRON	622.55	621.18	-	120	595	58.7	75	28	-
156H200	156	6A	CASTIRON	630.64	629.26	-	120	603	58.7	75	28	-

H300 (12. 700mm)

规格代码 PrtCode	齿数 Number of Teeth	结构 Type	材料 Mt	DD	De	Df	Dm	Di	F	L	d	挡板号 FlangeCod
14H300	14	6F	STEEL	56.60	55.22	64	40	-	85.7	100	11	59
15H300	15	6F	STEEL	60.64	59.27	66.5	45	-	85.7	100	11	60
16H300	16	6F	STEEL	64.68	63.31	70	45	-	85.7	100	11	61
17H300	17	6F	STEEL	68.72	67.35	75	45	-	85.7	100	11	62
18H300	18	6F	STEEL	72.77	71.39	79	55	-	85.7	100	19	63
19H300	19	6F	STEEL	76.81	75.44	82.5	60	-	85.7	100	19	64
20H300	20	6F	STEEL	80.85	79.48	87	62	-	85.7	100	19	76
21H300	21	6F	STEEL	84.89	83.52	91	65	-	85.7	100	19	66
22H300	22	6F	STEEL	88.94	87.56	94	68	-	85.7	100	19	67
23H300	23	6F	STEEL	92.98	91.61	97	72	-	85.7	100	19	68
24H300	24	6F	STEEL	97.02	95.65	102	72	-	85.7	100	19	70
25H300	25	6F	STEEL	101.06	99.69	106	72	-	85.7	100	19	71
26H300	26	6F	STEEL	105.11	103.73	112	80	-	85.7	100	19	72
27H300	27	6F	STEEL	109.15	107.78	115	80	-	85.7	100	19	74
28H300	28	6F	STEEL	113.19	111.82	120	80	-	85.7	100	19	75
29H300	29	6F	STEEL	117.23	115.86	120	80	-	85.7	100	19	75
30H300	30	6F	STEEL	121.28	119.90	128	80	-	85.7	100	19	78
32H300	32	6F	STEEL	129.36	127.99	135	80	-	85.7	100	19	80
33H300	33	6F	STEEL	133.40	132.03	142	80	-	85.7	100	19	81
34H300	34	6F	STEEL	137.45	136.07	142	80	-	85.7	100	19	81
35H300	35	6F	STEEL	141.49	140.12	150	80	-	85.7	100	19	85
36H300	36	6WF	STEEL	145.53	144.16	150	80	118	85.7	100	19	85
38H300	38	6WF	STEEL	153.62	152.24	158	80	126	85.7	100	19	86
40H300	40	6WF	STEEL	161.70	160.33	168	80	134	85.7	100	19	90
42H300	42	6WF	STEEL	169.79	168.41	180	80	140	85.7	100	24	94
44H300	44	6WF	CASTIRON	177.87	176.50	184	80	150	85.7	100	24	95
45H300	45	6WF	CASTIRON	181.91	180.54	192	80	154	85.7	100	24	96
48H300	48	6WF	CASTIRON	194.04	192.67	200	90	166	85.7	100	24	100
49H300	49	6W	CASTIRON	198.08	196.71	-	90	170	85.7	100	24	-
50H300	50	6W	CASTIRON	202.13	200.75	-	90	174	85.7	100	24	-
52H300	52	6W	CASTIRON	210.21	208.84	-	90	182	85.7	100	24	-
58H300	58	6A	CASTIRON	234.47	233.09	-	90	207	85.7	100	24	-
60H300	60	6A	CASTIRON	242.55	241.18	-	90	215	85.7	100	28	-
70H300	70	6A	CASTIRON	282.98	281.61	-	100	255	85.7	100	28	-
72H300	72	6A	CASTIRON	291.06	289.69	-	100	263	85.7	100	28	-
82H300	82	6A	CASTIRON	331.49	330.12	-	100	304	85.7	100	28	-
84H300	84	6A	CASTIRON	339.57	338.20	-	100	312	85.7	100	28	-
94H300	94	6A	CASTIRON	380.00	378.63	-	120	352	85.7	100	28	-
96H300	96	6A	CASTIRON	388.08	386.71	-	120	360	85.7	100	28	-
106H300	106	6A	CASTIRON	428.51	427.14	-	120	401	85.7	100	28	-
116H300	116	6A	CASTIRON	468.93	467.56	-	120	441	85.7	100	28	-
118H300	118	6A	CASTIRON	477.02	475.65	-	120	449	85.7	100	28	-
120H300	120	6A	CASTIRON	485.10	483.73	-	120	458	85.7	100	28	-
150H300	150	6A	CASTIRON	606.38	605.01	-	120	579	85.7	100	28	-
152H300	152	6A	CASTIRON	614.47	613.09	-	120	587	85.7	100	28	-
154H300	154	6A	CASTIRON	622.55	621.18	-	120	595	85.7	100	28	-
156H300	156	6A	CASTIRON	630.64	629.26	-	120	603	85.7	100	28	-

XH200 (22, 22 mm)

规格代码 PrtCode	齿数 NumberofTeet	结构 Type	材料 Mt	DD	De	Df	Dm	F	L	d	挡板号 FlngeCod
18XH200	18	6F	STEEL	127.34	124.55	138	100	65	80	24	155
19XH200	19	6F	STEEL	134.41	131.62	146	100	65	80	24	156
20XH200	20	6F	STEEL	141.49	138.69	154	100	65	80	24	157
21XH200	21	6F	STEEL	148.56	145.77	160	110	65	80	24	158
22XH200	22	6F	STEEL	155.64	152.84	168	110	65	80	24	159
24XH200	24	6F	STEEL	169.79	166.99	183	120	65	80	24	161
25XH200	25	6F	STEEL	176.86	174.07	188	120	65	80	24	162
26XH200	26	6F	STEEL	183.93	181.14	198	120	65	80	24	163
27XH200	27	6F	STEEL	191.01	188.26	200	120	65	80	24	164
28XH200	28	6F	STEEL	198.09	195.29	211	120	65	80	24	175
30XH200	30	6F	STEEL	212.26	209.44	226	120	65	80	24	180
32XH200	32	6F	STEEL	226.38	223.59	240	120	65	80	24	169
34XH200	34	6F	STEEL	240.53	267.74	256	120	65	80	24	170

XH300 (22, 22 mm)											
规格代码 PrtCode	齿数 NumberofTeet	结构 Type	材料 Mt	DD	De	Df	Dm	F	L	d	挡板号 FlngeCod
18XH300	18	6F	STEEL	127.34	124.55	138	100	92	110	28	155
19XH300	19	6F	STEEL	134.41	131.62	146	100	92	110	28	156
20XH300	20	6F	STEEL	141.49	138.69	154	100	92	110	28	157
21XH300	21	6F	STEEL	148.56	145.77	160	110	92	110	28	158
22XH300	22	6F	STEEL	155.64	152.84	168	110	92	110	28	159
24XH300	24	6F	STEEL	169.79	166.99	183	120	92	110	28	161
25XH300	25	6F	STEEL	176.86	174.07	188	120	92	110	28	162
26XH300	26	6F	STEEL	183.93	181.14	198	120	92	110	28	163
27XH300	27	6F	STEEL	191.01	188.26	200	120	92	110	28	164
28XH300	28	6F	STEEL	198.09	195.29	211	150	92	110	28	175
30XH300	30	6F	STEEL	212.26	209.44	226	150	92	110	28	180
32XH300	32	6F	STEEL	226.38	223.59	240	150	92	110	28	169
34XH300	34	6F	STEEL	240.53	267.74	256	150	92	110	28	170

XH400 (22, 22 mm)

规格代码 PrtCode	齿数 NumberofTeet	结构 Type	材料 Mt	DD	De	Df	Dm	F	L	d	挡板号 FlngeCod
18XH400	18	6F	STEEL	127.34	124.55	138	100	119	132	32	155
19XH400	19	6F	STEEL	134.41	131.62	146	100	119	132	32	156
20XH400	20	6F	STEEL	141.49	138.69	154	100	119	132	32	157
21XH400	21	6F	STEEL	148.56	145.77	160	110	119	132	32	158
22XH400	22	6F	STEEL	155.64	152.84	168	110	119	132	32	159
24XH400	24	6F	STEEL	169.79	166.99	183	120	119	132	32	161
25XH400	25	6F	STEEL	176.86	174.07	188	120	119	132	32	162
26XH400	26	6F	STEEL	183.93	181.14	198	120	119	132	32	163
27XH400	27	6F	STEEL	191.01	188.26	200	120	119	132	32	164
28XH400	28	6F	STEEL	198.09	195.29	211	150	119	132	32	175
30XH400	30	6F	STEEL	212.26	209.44	226	150	119	132	32	180
32XH400	32	6F	STEEL	226.38	223.59	240	150	119	132	32	169
34XH400	34	6F	STEEL	240.53	267.74	256	150	119	132	32	170

L050 (9. 525mm)

规格代码 PrtCode	齿数 Number of Teeth	结构 type	材料 Mt	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Flange Code
TL18L050	18	8F	STEEL	1108	54.57	53.81	60	45	-	19	22	3	58
TL19L050	19	8F	STEEL	1108	57.61	56.84	64	45	-	19	22	3	59
TL20L050	20	8F	STEEL	1108	60.64	59.88	66.5	48	-	19	22	3	60
TL21L050	21	8F	STEEL	1108	63.67	62.91	70	48	-	19	22	3	61
TL22L050	22	8F	STEEL	1108	66.70	65.94	75	51	-	19	22	3	62
TL23L050	23	8F	STEEL	1108	69.73	68.97	79	54	-	19	22	3	63
TL24L050	24	8F	STEEL	1108	72.77	72.00	79	54	-	19	22	3	63
TL25L050	25	8F	STEEL	1108	75.80	75.04	82.5	56	-	19	22	3	64
TL26L050	26	8F	STEEL	1108	78.83	78.07	86	60	-	19	22	3	65
TL27L050	27	8F	STEEL	1108	81.86	81.10	86	62	-	19	22	3	65
TL28L050	28	8F	STEEL	1108	84.89	84.13	91	65	-	19	22	3	66
T130105C	30	8F	STEEL	1108	90.96	90.20	97	70	-	19	22	3	68
TL32L050	32	8F	STEEL	1108	97.02	96.26	102	74	-	19	22	3	70
T136L050	36	8F	STEEL	1108	109.15	108.39	115	85	-	19	22	3	74
TL40L050	40	8F	STEEL	1610	121.28	120.50	128	88	-	19	25	6	78
TL44L050	44	8WF	STEEL	1610	133.40	132.64	142	88	110	19	25	6	81
TL48L050	48	8WF	STEEL	1610	145.53	144.77	150	88	120	19	25	6	85
TL60L050	60	7W	STEEL	1610	181.91	181.15	-	92	166	19	25	3	-
TL72L050	72	7A	CASTIRON	1610	218.30	217.53	-	92	202	19	25	3	-
TL84L050	84	7A	CASTIRON	1610	254.68	253.90	-	92	236	19	25	3	-
TL96L050	96	7A	CASTIRON	2012	291.06	290.30	-	106	270	19	32	6.5	-
TL120L050	120	7A	CASTIRON	2012	363.83	363.07	-	106	343	19	32	6.5	-

L075 (9.525mm)

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材 料 Mt	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Flnge Code
TL18L075	18	3F	STFFL	1108	54.57	53.81	60	-	-	25	25	-	58
TL19L075	19	3F	STEEL	1108	57.61	56.84	64	-	-	25	25	-	59
TL20L075	20	3F	STFFL	1108	60.64	59.88	66.5	-	-	25	25	-	60
TL21L075	21	3F	STEEL	1108	63.67	62.91	70	-	-	25	25	-	61
TL22L075	22	3F	STFFL	1108	66.70	65.94	75	-	-	25	25	-	62
TL23L075	23	3F	STEEL	1108	69.73	68.97	79	-	-	25	25	-	63
TL24L075	24	3F	STFFL	1108	72.77	72.00	79	-	-	25	25	-	63
TL25L075	25	3F	STEEL	1108	75.80	75.04	82.5	-	-	25	25	-	64
TL26L075	26	3F	STFFL	1108	78.83	78.07	86	-	-	25	25	-	65
TL27L075	27	3F	STEEL	1108	81.86	81.10	86	-	-	25	25	-	65
TL28L075	28	3F	STFFL	1108	84.89	84.13	91	-	-	25	25	-	66
TL30L075	30	3F	STEEL	1108	90.96	90.20	97	-	-	25	25	-	68
TL32L075	32	3F	STFFL	1108	97.02	96.26	102	-	-	25	25	-	70
TL36L075	36	3F	STEEL	1610	109.15	108.30	115	-	-	25	25	-	74
T140L075	40	3F	STFFL	1610	121.28	120.51	128	-	-	25	25	-	78
TL44L075	44	3WF	STEEL	1610	133.40	132.64	142	90	110	25	25	-	81
TL48L075	48	3WF	STFFL	1610	145.53	144.77	150	92	120	25	25	-	85
TL60L075	60	3W	STEEL	1610	181.90	181.15	-	92	166	25	25	-	-
TL72L075	72	3A	CASTIRON	1610	218.30	217.53	-	92	202	25	25	-	-
TL84L075	84	7A	CASTIRON	2012	254.68	253.90	-	92	236	25	32	3.5	-
TL96L075	96	7A	CASTIRON	2012	291.06	290.30	-	106	270	25	32	3.5	-
TL120L075	120	7A	CASTIRON	2012	363.83	363.07	-	106	343	25	32	3.5	-

L100 (9.525mm)

规格代码 Prt Code	齿数 Number of Teet	结构 Type	材 料 Mt	锥孔号 Bush Nmber	Dp	De	Df	Dm	Di	F	S	R	挡板号 Inge Code
TL18L100	18	5F	STFFL	1108	54.57	53.81	60	-	38	31	22	9	58
TL19L100	19	5F	STEEL	1108	57.61	56.84	64	-	38	31	22	9	59
TL20L100	20	5F	STFFL	1108	60.64	59.88	66.5	-	45	31	22	9	60
TL21L100	21	5F	STEEL	1108	63.67	62.91	70	-	45	31	22	9	61
TL22L100	22	5F	STFFL	1108	66.70	65.94	75	-	48	31	22	9	62
TL23L100	23	5F	STEEL	1108	69.73	68.97	79	-	52	32	22	10	63
TL24L100	24	5F	STFFL	1108	72.77	72.00	79	-	52	32	22	10	63
TL25L100	25	5F	STEEL	1108	75.80	75.04	82.5	-	54	32	22	10	64
TL26L100	26	5F	STFFL	1108	78.83	78.07	86	-	60	32	22	10	65
TL27L100	27	5F	STEEL	1108	81.86	81.10	86	-	60	32	22	10	65
TL28L100	28	5F	STFFL	1108	84.89	84.13	91	-	65	32	22	10	66
TL30L10C	30	5F	STEEL	1210	90.96	90.20	97	-	71	32	25	7	68
TL32L100	32	5F	STFFL	1210	97.02	6.26	102	-	75	32	25	7	70
TL36L100	36	5F	STEEL	1610	109.15	108.39	115	-	86	32	25	7	74
TL40L100	40	5F	STFFL	1610	121.28	120.50	128	-	96	32	25	7	78
TL44L100	44	5WF	STEEL	1610	133.40	132.64	142	90	110	32	25	7	81
TL48L100	48	5WF	STFFL	1610	145.53	144.77	150	92	120	32	25	7	85
TL60L100	60	9W	STEEL	1610	181.91	181.15	-	92	166	32	25	3.5	-
TL72L100	72	3A	CASTIRON	2012	218.30	217.53	-	92	202	32	32	0	-
TL84L100	84	3A	CASTIRON	2012	254.68	253.90	-	92	236	32	32	0	-
TL96L100	96	3A	CASTIRON	2012	291.06	290.30	-	106	270	32	32	0	-
TL120L100	120	3A	CASTIRON	2012	363.83	363.07	-	106	343	32	32	0	-

H100 (12. 700mm)

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Flange Code
TL16H100	16	5F	STEEL	1108	64.68	63.31	70	-	45	31	22	9	61
TL18H100	18	5F	STEEL	1210	72.77	71.39	79	-	52	31	25	6	63
TL19H100	19	5F	STEEL	1210	76.81	75.44	82.5	-	56	31	25	6	64
TL20H100	20	5F	STEEL	1210	80.85	79.48	87	-	60	31	25	6	76
TL21H100	21	5F	STEEL	1210	84.89	83.52	91	-	64	32	25	7	66
TL22H100	22	5F	STEEL	1210	88.94	87.56	94	-	67	32	25	7	67
TL23H100	23	5F	STEEL	1610	92.98	91.61	97	-	70	32	25	7	68
TL24H100	24	5F	STEEL	1610	97.02	95.65	102	-	74	32	25	7	70
TL25H100	25	5F	STEEL	1610	101.06	99.69	106	-	77	32	25	7	71
TL26H100	26	5F	STEEL	1610	105.11	103.73	112	-	82	32	25	7	72
TL27H100	27	5F	STEEL	1610	109.15	107.78	115	-	85	32	25	7	74
TL28H100	28	5F	STEEL	1610	113.19	111.82	120	-	90	32	25	7	75
TL30H100	30	5F	STEEL	1610	121.28	111.90	128	-	98	32	25	7	78
TL32H100	32	5WF	STEEL	1610	129.36	127.99	135	80	106	32	25	7	80
TL36H100	36	5WF	STEEL	1610	145.53	144.16	150	92	121	32	25	7	85
TL40H100	40	5WF	STEEL	1610	161.70	160.33	168	92	138	32	25	7	90
TL44H100	44	3WF	STEEL	2012	177.87	176.50	184	106	152	32	32	0	95
TL48H100	48	3WF	STEEL	2012	194.04	192.67	200	106	169	32	32	0	100
TL60H100	60	9A	CASTIRON	2012	242.55	241.18	-	92	223	34	32	1	-
TL72H100	72	9A	CASTIRON	2012	291.06	289.69	-	92	270	34	32	1	-
TL84H100	84	9A	CASTIRON	2012	339.57	338.20	-	92	318	34	32	1	-
TL96H100	96	7A	CASTIRON	2517	388.08	386.71	-	106	366	34	45	5.5	-
TL120H100	120	7A	CASTIRON	2517	485.10	483.73	-	106	462	34	45	5.5	-

H150 (12. 700mm)

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Flange Code
TL18H150	18	5F	STEEL	1210	72.77	71.39	79	-	52	45	25	20	63
TL19H150	19	5F	STEEL	1210	76.81	75.44	82.5	-	56	45	25	20	64
TL20H150	20	5F	STEEL	1210	80.85	79.48	87	-	60	45	25	20	76
TL21H150	21	5F	STEEL	1210	84.89	83.52	91	-	64	45	25	20	66
TL22H150	22	5F	STEEL	1210	88.94	87.56	94	-	67	45	25	20	67
TL23H150	23	5F	STEEL	1610	92.98	91.61	97	-	70	45	25	20	68
TL24H150	24	5F	STEEL	1610	97.02	95.65	102	-	74	45	25	20	70
TL25H150	25	5F	STEEL	1610	101.06	99.69	106	-	77	45	25	20	71
TL26H150	26	5F	STEEL	1610	105.11	103.73	112	-	82	45	25	20	72
TL27H150	27	5F	STEEL	1610	109.15	107.78	115	-	85	45	25	20	74
TL28H150	28	5F	STEEL	1610	113.19	111.82	120	-	90	45	25	20	75
TL30H150	30	5F	STEEL	1610	121.28	111.90	128	-	98	45	25	20	78
TL32H150	32	5WF	STEEL	1610	129.36	127.99	135	80	106	45	25	20	80
TL36H150	36	5WF	STEEL	1610	145.53	144.16	150	92	121	45	25	20	85
TL40H150	40	5WF	STEEL	1610	161.70	160.33	168	92	138	45	25	20	90
TL44H150	44	5WF	STEEL	2012	177.87	176.50	184	106	152	45	32	13	95
TL48H150	48	5WF	STEEL	2012	194.04	192.67	200	106	169	45	32	13	100
TL60H150	60	9A	CASTIRON	2012	242.55	241.18	-	92	223	46	32	7.5	-
TL72H150	72	9A	CASTIRON	2012	291.06	289.69	-	92	270	46	32	7.5	-
TL84H150	84	9A	CASTIRON	2012	339.57	338.20	-	92	318	46	32	7.5	-
TL96H150	96	9A	CASTIRON	2517	388.08	386.71	-	106	366	46	45	0.5	-
TL120H150	120	9A	CASTIRON	2517	485.10	483.73	-	106	462	46	45	0.5	-

H200 (12.700MM)

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Flange Code
TL18H200	18	5F	STEEL	1210	72.77	71.39	79	-	52	58	25	33	63
TL19H200	19	5F	STEEL	1210	76.81	75.44	83	-	56	58	25	33	64
TL20H200	20	5F	STEEL	1610	80.85	79.48	87	-	60	58	25	33	76
TL21H200	21	5F	STEEL	1610	84.89	83.52	91	-	64	58	25	33	66
TL22H200	22	5F	STEEL	1610	88.94	87.56	94	-	67	58	25	33	67
TL23H200	23	5F	STEEL	1610	92.98	91.61	97	-	70	58	25	33	68
TL24H200	24	5F	STEEL	1610	97.02	95.65	102	-	74	58	25	33	70
TL25H200	25	5F	STEEL	1610	101.06	99.69	106	-	77	58	25	33	71
TL26H200	26	5F	STEEL	1610	105.10	103.73	112	-	82	58	25	33	72
TL27H200	27	5F	STEEL	1610	109.15	107.78	115	-	85	58	25	33	74
TL28H200	28	5F	STEEL	1610	113.19	111.82	120	-	90	58	25	33	75
TL30H200	30	5F	STEEL	1610	121.28	111.90	128	-	98	58	25	33	78
TL32H200	32	5F	STEEL	2012	129.36	127.99	135	-	106	58	32	26	80
TL36H200	36	5WF	STEEL	2012	145.53	144.16	150	102	121	58	32	26	85
TL40H200	40	5WF	CTFFL	2012	161.70	160.33	168	106	138	58	32	26	90
TL44H200	44	5WF	STEEL	2012	177.87	176.50	184	106	152	58	32	26	95
TL48H200	48	5WF	STEEL	2517	194.04	192.67	200	119	169	58	45	13	100
TL60H200	60	9A	CASTIRON	2517	242.55	241.18	-	119	223	60	45	7.5	-
TL72H200	72	9A	CASTIRON	2517	291.06	289.69	-	119	270	60	45	7.5	-
TL84H200	84	9A	CASTIRON	2517	339.57	338.20	-	119	318	60	45	7.5	-
TL96H200	96	9A	CASTIRON	2517	388.08	386.71	-	119	366	60	45	7.5	-
TL120H200	120	9A	CASTIRON	2517	485.10	483.73	-	119	462	60	45	7.5	-

H300 (12. 700mm)

规格代码 Prt Code	齿数 NumberofTeeth	结构 Type	材料 Mt	锥孔 号Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Flnge Code
TL20H300	20	4F	STEEL	1615	80.85	79.48	87	-	60	84	38	23	76
TL21H300	21	4F	STEEL	1615	84.89	83.52	91	-	64	84	38	23	66
TL22H300	22	4F	STEEL	1615	88.94	87.56	94	-	67	84	38	23	67
TL23H300	23	4F	STEEL	1615	92.98	91.61	97	-	70	84	38	23	68
TL24H300	24	4F	STEEL	1615	97.02	95.65	102	-	74	84	38	23	70
L2 H30C	25	4F	STEEL	1615	101.06	99.69	106	-	77	84	38	23	71
TL26H300	26	4F	STEEL	1615	105.10	103.73	112	-	82	84	38	23	72
TL27H300	27	4F	STEEL	1610	109.15	107.78	115	-	85	84	32	26	74
TL28H300	28	4F	STEEL	2012	113.19	111.82	120	-	90	84	32	26	75
TL30H30C	30	4F	STEEL	2012	121.28	111.90	128	-	98	84	32	26	78
TL32H300	32	4F	STEEL	2517	129.36	127.99	135	-	106	84	45	20	80
TL36H300	36	4F	STEEL	2517	145.53	144.16	150	-	121	84	45	20	85
TL40H300	40	4F	STEEL	2517	161.70	160.33	168	-	138	84	45	20	90
TL44H300	44	4WF	STEEL	2517	177.87	176.50	184	119	152	86	45	21	95
TL48H300	48	4WF	STEEL	2517	194.04	192.67	200	119	169	86	45	21	100
TL60H300	60	9A	CASTIRON	2517	242.55	241.18	-	119	223	86	45	21	-
TL72H300	72	9A	CASTIRON	2517	291.06	289.69	-	119	270	86	45	21	-
TL84H300	84	9A	CASTIRON	2517	339.57	338.20	-	119	318	86	45	21	-
T196H300	96	9A	CASTIRON	3030	388.08	386.71	-	150	366	86	76	5	-
TL120H300	120	9A	CASTIRON	3030	485.10	483.73	-	150	462	86	76	5	-

XH200 (22. 225mm)

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Flange Code
TL18XH200	18	5F	STEEL	2517	127.34	124.55	140	-	95	64	45	19	155
TL20XH200	20	5F	STEEL	2517	141.49	138.69	155	-	110	64	45	19	157
TL22XH200	22	5F	STEEL	2517	155.64	152.84	170	-	120	64	45	19	159
TL24XH200	24	5F	STEEL	2517	169.79	166.99	184	-	135	64	45	19	161
TL26XH200	26	5F	STEEL	2517	183.94	181.14	198	-	150	64	45	19	163
TL28XH200	28	4WF	STEEL	2517	198.08	195.29	212	120	165	64	45	9.5	175
TL30XH200	30	4WF	STEEL	2517	212.23	209.44	227	120	180	64	45	9.5	167
TL32XH200	32	4WF	STEEL	2517	226.38	223.59	240	120	195	64	45	9.5	169
TL40XH200	40	4WF	CASTIRON	3020	282.98	280.18	297	160	245	64	51	9.5	177
TL48XH200	48	9W	CASTIRON	3020	339.57	336.78	-	160	300	64	51	6.5	-
TL60XH200	60	7A	CASTIRON	3535	424.47	421.67	-	190	385	64	89	12.5	-
TL72XH200	72	7A	CASTIRON	3535	509.36	506.56	-	190	470	64	89	12.5	-
TL84XH200	84	7A	CASTIRON	3535	594.25	591.46	-	190	555	64	89	12.5	-
TL96XH200	96	7A	CASTIRON	3535	679.15	676.35	-	190	640	64	89	12.5	-
TL120XH200	120	7A	CASTIRON	3535	848.93	846.14	-	190	810	64	89	12.5	-

XH300 (22. 225mm)

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt	锥孔 号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Flange Code
TL18XH300	18	5F	STEEL	2517	127.34	124.55	140	-	95	64	45	19	155
TL20XH300	20	5F	STEEL	2517	141.49	138.69	155	-	110	64	45	19	157
TL22XH300	22	5F	STEEL	2517	155.64	152.84	170	-	120	64	45	19	159
TL24XH300	24	5F	STEEL	2517	169.79	166.99	184	-	135	64	45	19	161
TL26XH300	26	5F	STEEL	2517	183.94	181.14	198	-	150	64	45	19	163
T128XH300	28	5F	STEEL	3020	98.08	195.29	212	120	165	64	45	9.5	175
TL30XH300	30	5F	STEEL	3020	212.23	209.44	227	120	180	64	45	9.5	167
T132XH300	32	5F	STEEL	3020	226.38	223.59	240	120	195	64	45	9.5	169
TL40XH300	40	4WF	CASTIRON	3020	282.98	280.18	297	160	245	64	51	9.5	177
TL48XH300	48	9A	CASTIRON	3020	339.57	336.78	-	160	300	64	51	6.5	-
TL60XH300	60	9A	CASTIRON	3535	424.47	421.67	-	190	385	64	89	12.5	-
TL72XH300	72	9A	CASTIRON	3535	509.36	506.56	-	190	470	64	89	12.5	-
TL84XH300	84	7A	CASTIRON	4040	594.25	591.46	-	190	555	64	89	12.5	-
T196XH300	96	7A	CASTIRON	4040	679.15	676.35	-	190	640	64	89	12.5	-
TL120XH300	120	7A	CASTIRON	4040	848.93	846.14	-	190	810	64	89	12.5	-

XH400 (22. 225mm)

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt	锥孔 号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Inge Cod
TL18XH400	18	5F	STEEL	2517	127.34	124.55	140	-	95	64	45	19	155
TL20XH400	20	5F	STEEL	2517	141.49	138.69	155	-	110	64	45	19	157
TL22XH400	22	5F	STEEL	2517	155.64	152.84	170	-	120	64	45	19	159
TL24XH400	24	5F	STEEL	3020	169.79	166.99	184	-	135	64	45	19	161
TL26XH400	26	5F	STEEL	3020	183.94	181.14	198	-	150	64	45	19	163
TL28XH400	28	5F	STEEL	3020	198.08	195.29	212	120	165	64	45	9.5	175
TL30XH400	30	5F	STEEL	3020	212.23	209.44	227	120	180	64	45	9.5	167
TL32XH400	32	5F	STEEL	3020	226.38	223.59	240	120	195	64	45	9.5	169
TL40XH400	40	4WF	CASTIRON	3535	282.98	280.18	297	160	245	64	51	9.5	177
TL48XH400	48	9W	CASTIRON	3535	339.57	336.78	-	160	300	64	51	6.5	-
TL60XH400	60	9A	CASTIRON	4040	424.47	421.67	-	190	385	64	89	12.5	-
TL72XH400	72	9A	CASTIRON	4040	509.36	506.56	-	190	470	64	89	12.5	-
T184XH400	84	9A	CASTIRON	4040	594.25	591.46	-	190	555	64	89	12.5	-
TL96XH400	96	9A	CASTIRON	4040	679.15	676.35	-	190	640	64	89	12.5	-
TL120XH400	120	9A	CASTIRON	4040	848.93	846.14	-	190	810	64	89	12.5	-

T2.5(Ptch=2.5mm)for belt width 6 mm

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt	Dp	De	Df	Dm	F	L	d	挡板号 Flnge Code
12T2.5-16	12	1F	AL	9.60	9.00	13	13	9.0	16	-	501
14T2.5-16	14	1F	AL	11.20	10.60	15	15	9.0	16	-	502
15T2.5-16	15	1F	AL	12.00	11.40	15	15	9.0	16	-	502
16T2.5-16	16	1F	AL	12.80	12.20	16	16	9.0	16	-	503
18T2.5-16	18	6F	AL	14.40	13.80	17.5	10	10.0	16	-	504
19T2.5-16	19	6F	AL	15.20	14.60	20	10	10.0	16	-	505
20T2.5-16	20	6F	AL	16.00	15.40	20	11	10.0	16	-	505
22T2.5-16	22	6F	AL	16.60	17.00	22	11	10.0	16	-	512
24T2.5-16	24	6F	AL	19.15	18.55	22	12	10.0	16	-	512
25T2.5-16	25	6F	AL	19.95	19.35	23	13	10.0	16	-	506
26T2.5-16	26	6F	AL	20.75	20.15	25	14	10.0	16	-	507
28T2.5-16	28	6F	AL	22.35	21.75	25	14	10.0	16	-	507
30T2.5-16	30	6F	AL	23.95	23.35	28	16	10.0	16	-	508
32T2.5-16	32	6F	AL	25.95	24.95	32	16	10.0	16	-	509
36T2.5-16	36	6F	AL	28.75	28.10	36	20	10.0	16	-	510
40T2.5-16	40	6F	AL	31.90	31.30	38	22	10.0	16	-	511
44T2.5-16	44	6F	AL	35.10	34.50	42	24	10.0	16	-	513
48T2.5-16	48	6	AL	38.30	37.70	-	26	10.0	16	-	
60T2.5-16	60	6	AL	47.85	47.25	-	34	10.0	16	8	

T5 (Pitch=5mm) for belt width 10 mm

却格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	Dp	De	Df	Dm	F	L	d	挡板号 Flnge Code
10T5-21	10	6F	AL	16.05	15	19.5	8	15	21	-	3
12T5-21	12	6F	AL	19.25	18	23	11	15	21	-	1
14T5-21	14	6F	AL	22.45	21	25	13	15	21	-	2
15T5-21	15	6F	AL	24.05	23	28	16	15	21	-	4
16T5-21	16	6F	AL	25.06	25	32	18	15	21	-	5
18T5-21	18	6F	AL	28.80	28	32	10	15	21	-	6
19T5-21	19	6F	AL	30.40	29	36	20	15	21	-	8
20T5-21	20	6F	AL	32.00	31	36	22	15	21	-	8
22T5-21	22	6F	AL	35.15	34	38	23	15	21	-	9
24T5-21	24	6F	AL	38.40	37	42	24	15	21	-	13
25T5-21	25	6F	AL	39.95	39	44	26	15	21	-	12
26T5-21	26	6F	AL	41.60	41	44	26	15	21	-	12
27T5-21	27	6F	AL	43.20	42	48	30	15	21	8	11
28T5-21	28	6F	AL	44.75	44	48	32	15	21	8	11
30T5-21	30	6F	AL	47.95	47	51	34	15	21	8	16
32T5-21	32	6F	AL	51.10	50	54	38	15	21	8	18
36T5-21	36	6F	AL	57.45	56	64	38	15	21	8	23
40T5-21	40	6F	AL	63.85	63	66.5	40	15	21	8	24
42T5-21	42	6F	AL	67.00	66	70	40	15	21	8	26
44T5-21	44	6	AL	70.20	69	-	45	15	21	8	-
48T5-21	48	6	AL	76.55	76	-	50	15	21	8	-
60T5-21	60	6	AL	95.65	95	-	65	15	21	8	-

T5(Pitch=5mm)for belt width 16 mm

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	De	Df	Dm	F	L	d	挡板号 Flange Code
10T5-27	10	6F	AL	16.05	15.05	8	21	27	-	3
12T5-27	12	6F	AL	19.25	18.25	11	21	27	-	1
14T5-27	14	6F	AL	22.45	21.45	13	21	27	-	2
21T5-27	15	6F	AL	24.05	23.05	16	21	27	-	4
16T5-27	16	6F	AL	25.06	24.60	18	21	27	-	5
18T5-27	18	6F	AL	28.80	27.80	10	21	27	-	6
19T5-27	19	6F	AL	30.40	29.40	20	21	27	-	8
20T5-27	20	6F	AL	32.00	31.00	22	21	27	-	8
22T5-27	22	6F	AL	35.15	34.15	23	21	27	-	9
24T5-27	24	6F	AL	38.40	37.40	24	21	27	-	13
25T5-27	25	6F	AL	39.95	38.95	26	21	27	-	12
26T5-27	26	6F	AL	41.60	40.60	26	21	27	-	12
27T5-27	27	6F	AL	43.20	42.20	30	21	27	8	11
28T5-27	28	6F	AL	44.75	43.75	32	21	27	8	11
30T5-27	30	6F	AL	47.95	46.95	34	21	27	8	16
32T5-27	32	6F	AL	51.10	50.10	38	21	27	8	18
36T5-27	36	6F	AL	57.45	56.45	38	21	27	8	23
40T5-27	40	6F	AL	63.85	62.85	40	21	27	8	24
42T5-27	42	6F	AL	67.00	66.00	40	21	27	8	26
44T5-27	44	6	AL	70.20	69.20	45	21	27	8	-
48T5-27	48	6	AL	76.55	75.55	50	21	27	8	
60T5-27	60	6	AL	95.65	94.65	65	21	27	8	

T5(Pitch=5mm) for belt width 25 mm

却格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	Dp	De	Df	Dm	F	L	d	挡板号 Flnge Code
10T5-36	10	6F	AL	16.05	15.05	19.5	8	30	36	-	-
12T5-36	12	6F	AL	19.25	18.25	23	11	30	36	-	-
14T5-36	14	6F	AL	22.45	21.45	25	13	30	36	-	-
15T5-36	15	6F	AL	24.05	23.05	28	16	30	36	-	-
16T5-36	16	6F	AL	25.06	24.60	32	18	30	36	-	-
18T5-36	18	6F	AL	28.80	27.80	32	10	30	36	-	6
19T5-36	19	6F	AL	30.40	29.40	36	20	30	36	-	8
20T5-36	20	6F	AL	32.00	31.00	36	22	30	36	-	8
22T5-36	22	6F	AL	35.15	34.15	38	23	30	36	-	9
24T5-36	24	6F	AL	38.40	37.40	42	24	30	36	8	13
25T5-36	25	6F	AL	39.95	38.95	44	26	30	36	8	12
26T5-36	26	6F	AL	41.60	40.60	44	26	30	36	8	12
T5-36	27	6F	AL	43.20	42.20	48	30	30	36	8	11
28T5-36	28	6F	AL	44.75	43.75	48	32	30	36	8	11
30T5-36	30	6F	AL	47.95	46.95	51	34	30	36	8	16
32T5-36	32	6F	AL	51.10	50.10	54	38	30	36	8	18
36T5-36	36	6F	AL	57.45	56.45	64	38	30	36	8	23
40T5-36	40	6F	AL	63.85	62.85	67	40	30	36	8	24
42T5-36	42	6F	AL	67.00	66.00	70	40	30	36	8	26
44T5-36	44	6	AL	70.20	69.20	-	45	30	36	8	-
48T5-36	48	6	AL	76.55	75.55	-	50	30	36	8	-
60T5-36	60	6	AL	95.65	94.65	-	65	30	36	8	-

T10(Pitch=10mm)for be it width 16 mm

却格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	Dp	De	Df	Dm	F	L	d	挡板号 Flnge Code
12T10-31	6F	12	AL	38.35	36.35	42	28	21	31	6	13
14T10-31	6F	14	AL	44.70	42.70	48	32	21	31	8	11
15T10-31	6F	15	AL	47.90	45.90	51	32	21	31	8	16
16T10-31	6F	16	AL	51.10	49.10	54	35	21	31	8	18
18T10-31	6F	18	AL	57.45	55.45	60	40	21	31	8	21
19T10-31	6F	19	AL	60.65	58.65	66	44	21	31	8	24
20T10-31	6F	20	AL	63.80	61.80	66	46	21	31	8	24
22T10-31	6F	22	AL	70.20	68.20	75	52	21	31	8	27
24T10-31	6F	24	AL	76.55	74.55	83	58	21	31	8	29
25T10-31	6F	25	AL	79.75	77.70	83	60	21	31	8	29
26T10-31	6F	26	AL	82.90	80.90	87	60	21	31	8	31
27T10-31	6F	27	AL	86.10	84.10	91	60	21	31	8	32
28T10-31	6F	28	AL	89.25	87.25	93	60	21	31	8	33
30T10-31	6F	30	AL	95.65	93.65	97	60	21	31	8	35
32T10-31	6F	32	AL	102.00	100.00	106	65	21	31	10	38
36T10-31	6F	36	AL	114.75	112.75	119	70	21	31	10	43
40T10-31	6F	40	AL	127.45	125.45	131	80	21	31	10	47
44T10-31	6	44	AL	140.20	138.20	-	88	21	31	10	-
48T10-31	6	48	AL	152.95	150.95	-	95	21	31	16	-
60T10-31	6	60	AL	191.15	189.10	-	110	21	31	16	-

T10(Ptch=10mm)for belt width 16 mm

规格代码 Prt Code	齿数 Number of Teeth	结构 lype	材料 Mt	Dp	De	Df	Dm	F	L	d	挡板号 Flnge Code
12T10-40	6F	12	AL	38.35	36.35	42	28	30	40	6	13
14T10-40	6F	14	AL	44.70	42.70	48	32	30	40	8	11
15T10-40	6F	15	AL	47.90	45.90	51	32	30	40	8	16
16T10-40	6F	16	AL	51.10	49.10	54	35	30	40	8	18
18T10-40	6F	18	AL	57.45	55.45	60	40	30	40	8	21
19T10-40	6F	19	AL	60.65	58.65	66	44	30	40	8	24
20T10-40	6F	20	AL	63.80	61.80	66	46	30	40	8	24
22T10-40	6F	22	AL	70.20	68.20	75	52	30	40	8	27
24T10-40	6F	24	AL	76.55	74.55	83	58	30	40	8	29
25T10-40	6F	25	AL	79.75	77.75	83	60	30	40	8	29
26T10-40	6F	26	AL	82.90	80.90	87	60	30	40	8	31
27T10-40	6F	27	AL	86.10	84.10	91	60	30	40	8	32
28T10-40	6F	28	AL	89.25	87.25	93	60	30	40	8	33
30T10-40	6F	30	AL	95.65	93.65	97	60	30	40	8	35
32T10-40	6F	32	AL	102.00	100.00	106	65	30	40	10	38
36T10-40	6F	36	AL	114.75	112.75	119	70	30	40	10	43
40T10-40	6F	40	AL	127.45	125.45	131	80	30	40	10	47
44T10-40	6	44	AL	140.20	138.20	-	88	30	40	10	-
48T10-40	6	48	AL	152.95	150.95	-	95	30	40	16	-
60T10-40	6	60	AL	191.15	189.10	-	110	30	40	16	-

T10(Pitch=10mm)for belt width 32 mm

规格代码 Prt Code	齿数 Number of Teet	结构 Type	材 料 Mt	Dp	De	Df	Dm	F		d	挡板号 Flnge Code
18T10-47	6F	18	AL	57.45	55.45	60	40	37	47	10	21
19T10-47	6F	19	AL	60.65	58.65	66	44	37	47	10	24
20T10-47	6F	20	AL	63.80	61.80	66	46	37	47	12	24
22T10-47	6F	22	AL	70.20	68.20	75	52	37	47	12	27
24T10-47	6F	24	AL	76.55	74.55	83	58	37	47	12	29
25T10-47	6F	25	AL	79.75	77.75	83	60	37	47	12	29
26T10-47	6F	26	AL	82.90	80.90	87	60	37	47	12	31
27T10-47	6F	27	AL	86.10	84.10	91	60	37	47	12	32
28T10-47	6F	28	AL	89.25	87.25	93	60	37	47	12	33
30T10-47	6F	30	AL	95.65	93.65	97	60	37	47	12	35
32T10-47	6F	32	AL	102.00	100.00	106	65	37	47	12	38
36T10-47	6F	36	AL	114.75	112.75	119	70	37	47	16	43
40T10-47	6F	40	AL	127.45	125.45	131	80	37	47	16	47
44T10-47	6	44	AL	140.20	138.20	-	88	37	47	16	-
48T10-47	6	48	AL	52.95	150.95	-	95	37	47	16	-
60T10-47	6	60	AL	91.15	189.10	-	110	37	47	16	-

T10(Pitch=10mm)for belt width 50 mm

规格代码 Prt Code	齿数 Number of Teeth	结构 lype	材料 Mt	Dp	De	Df	Dm	F	L	d	挡板号 Flnge Code
18T10-66	6F	18	AL	57.45	55.45	60	40	56	66	10	21
19T10-66	6F	19	AL	60.65	58.65	66	44	56	66	10	24
20T10-66	6F	20	AL	63.80	61.80	66	46	56	66	12	24
22T10-66	6F	22	AL	70.20	68.20	75	52	56	66	12	27
24T10-66	6F	24	AL	76.55	74.55	83	58	56	66	12	29
25T10-66	6F	25	AL	79.75	77.75	83	60	56	66	12	29
26T10-66	6F	26	AL	82.90	80.90	87	60	56	66	12	31
27T10-66	6F	27	AL	86.10	84.10	91	60	56	66	12	32
28T10-66	6F	28	AL	89.25	87.25	93	60	56	66	12	33
30T10-66	6F	30	AL	95.65	93.65	97	60	56	66	12	35
32T10-66	6F	32	AL	102.00	100.00	106	65	56	66	12	38
36T10-66	6F	36	AL	114.75	112.75	119	70	56	66	16	43
40T10-66	6F	40	AL	127.45	125.45	131	80	56	66	16	47
44T10-66	6	44	AL	140.20	138.20	-	88	56	66	16	-
48T10-66	6	48	AL	152.95	150.95	-	95	56	66	16	-
60T10-66	6	60	AL	191.15	189.10	-	110	56	66	16	-

AT5 (Pitch=5mm)

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	De	Df	Dm	F	L	d	挡板号 Flnge Code
12T5-21	12	6F	AL	17.85	23	11	15	21	-	
14T5-21	14	6F	AL	21.05	25	14	15	21	-	2
15T5-21	15	6F	AL	22.65	28	16	15	21	-	4
16T5-21	16	6F	AL	24.20	32	18	15	21	-	5
18T5-21	18	6F	AL	27.40	32	20	15	21	-	6
19T5-21	19	6F	AL	29.00	36	22	15	21	-	8
20T5-21	20	6F	AL	30.60	36	23	15	21	-	8
22T5-21	22	6F	AL	33.85	38	24	15	21	-	9
24T5-21	24	6F	AL	37.00	42	26	15	21	-	13
25T5-21	25	6F	AL	38.60	44	26	15	21	-	12
26T5-21	26	6F	AL	40.20	44	26	15	21	-	12
27T5-21	27	6F	AL	41.80	48	30	15	21	8	11
28T5-21	28	6F	AL	43.35	48	32	15	21	8	11
30T5-21	30	6F	AL	46.55	51	34	15	21	8	16
32T5-21	32	6F	AL	49.70	54	36	15	21	8	18
36T5-21	36	6F	AL	56.05	64	38	15	21	8	23
40T5-21	40	6F	AL	62.45	67	40	15	21	8	24
42T5-21	42	6F	AL	65.60	70	40	15	21	8	26
44T5-21	44	6	AL	68.80	-	45	15	21	8	-
48T5-21	48	6	AL	75.15	-	50	15	21	8	-
60T5-21	60	6	AL	94.25	-	65	15	21	8	-

AT5 (Pitch=5mm)

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	De	Df	Dm	F	L	d	挡板号 Flnge Code
12T5-27	12	6F	AL	17.85	23	11	21	27	-	1
14T5-27	14	6F	AL	21.05	25	14	21	27	-	2
21T5-27	21	6F	AL	22.65	28	16	21	27	-	4
16T5-27	16	6F	AL	24.20	32	18	21	27	-	5
18T5-27	18	6F	AL	27.40	32	20	21	27	-	6
19T5-27	19	6F	AL	29.00	36	22	21	27	-	8
20T5-27	20	6F	AL	30.60	36	23	21	27	-	8
22T5-27	22	6F	AL	33.85	38	24	21	27	-	9
24T5-27	24	6F	AL	37.00	42	26	21	27	-	13
25T5-27	25	6F	AL	38.60	44	26	21	27	-	12
26T5-27	26	6F	AL	40.20	44	26	21	27	-	12
27T5-27	27	6F	AL	41.80	48	30	21	27	8	11
28T5-27	28	6F	AL	43.35	48	32	21	27	8	11
30T5-27	30	6F	AL	46.55	51	34	21	27	8	16
32T5-27	32	6F	AL	49.70	54	36	21	27	8	18
36T5-27	36	6F	AL	56.05	64	38	21	27	8	23
40T5-27	40	6F	AL	62.45	67	40	21	27	8	24
42T5-27	42	6F	AL	65.60	70	40	21	27	8	26
44T5-2 7	44	6	AL	68.80	-	45	21	27	8	-
48T5-27	48	6	AL	75.21	-	50	21	27	8	-
60T5-27	60	6	AL	94.25	-	65	21	27	8	-

□T5 (Pitch=5mm)

规格代码 Prt Code	齿数 Number of Teet	结构 Type	材料 Mt.	De	Df	Dm	F	L	d	挡板号 Flnge Code
12T5-36	12	6F	AL	17.85	23	11	30	36	-	1
14T5-36	14	6F	AL	21.05	25	14	30	36	-	2
21T5-36	21	6F	AL	22.65	28	16	30	36	-	4
16T5-36	16	6F	AL	24.20	32	18	30	36	-	5
18T5-36	18	6F	AL	27.40	32	20	30	36	-	6
19T5-36	19	6F	AL	29.00	36	22	30	36	-	8
20T5-36	20	6F	AL	30.60	36	23	30	36	-	8
22T5-36	22	6F	AL	33.85	38	24	30	36	-	9
24T5-36	24	6F	AL	37.00	42	26	30	36	-	13
25T5-36	25	6F	AL	38.60	44	26	30	36	-	12
26T5-36	26	6F	AL	40.20	44	26	30	36	-	12
27T5-36	27	6F	AL	41.80	48	30	30	36	8	11
28T5-36	28	6F	AL	43.35	48	32	30	36	8	11
30T5-36	30	6F	AL	46.55	51	34	30	36	8	16
32T5-36	32	6F	AL	49.70	54	36	30	36	8	18
36T5-36	36	6F	AL	56.05	64	38	30	36	8	23
40T5-36	40	6F	AL	62.45	67	40	30	36	8	24
42T5-36	42	6F	AL	65.60	70	40	30	36	8	26
44T5-36	44	6	AL	68.80	-	45	30	36	8	-
48T5-36	48	6	AL	75.21	-	50	30	36	8	-
60T5-36	60	6	AL	94.25	-	65	30	36	8	-

AT10 (P' tch=10mm)

规格代码 Prt Code	齿数 Number of Teett	结构 Type	材料 Mt.	De	Df	Dm	F	L	d	挡板号 Flnge Code
15T10-31	6F	15.00	AL	45.90	51	31	21	31	8	16
16T10-31	6F	16.00	AL	49.05	54	35	21	31	8	18
18T10-31	6F	18.00	AL	55.45	60	40	21	31	8	21
19T10-31	6F	19.00	AL	58.60	66	44	21	31	8	24
20T10-31	6F	20.00	AL	61.80	66	46	21	31	8	24
22T10-31	6F	22.00	AL	68.15	75	52	21	31	8	27
24T10-31	6F	24.00	AL	74.55	83	58	21	31	8	29
25T10-31	6F	25.00	AL	77.70	83	60	21	31	8	29
26T10-31	6F	26.00	AL	80.90	87	60	21	31	8	31
27T10-31	6F	27.00	AL	84.10	91	60	21	31	8	32
28T10-31	6F	28.00	AL	87.25	93	60	21	31	8	33
30T10-31	6F	30.00	AL	93.65	97	60	21	31	8	35
32T10-31	6F	32.00	AL	100.00	106	65	21	31	10	38
36T10-31	6F	36.00	AL	112.75	119	70	21	31	10	43
40T10-31	6F	40.00	AL	125.45	131	80	21	31	10	47
44T10-31	6	44.00	AL	138.20	-	88	21	31	10	-
48T10-31	6	48.00	AL	150.95	-	95	21	31	16	-
60T10-31	6	60.00	AL	189.10	-	110	21	31	16	-

AT 10(Ptch=10mm)

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	De	Df	Dm	F	L	d	挡板号 Flnge Code
15T10-40	6F	15.00	AL	45.90	51	31	30	40	8	16
16T10-40	6F	16.00	AL	49.05	54	35	30	40	8	18
18T10-40	6F	18.00	AL	55.45	60	40	30	40	8	21
19T10-40	6F	19.00	AL	58.60	66	44	30	40	8	24
20T10-40	6F	20.00	AL	61.80	66	46	30	40	8	24
22T10-40	6F	22.00	AL	68.15	75	52	30	40	8	27
24T10-40	6F	24.00	AL	74.55	83	58	30	40	8	29
25T10-40	6F	25.00	AL	77.70	83	60	30	40	8	29
26T10-40	6F	26.00	AL	80.90	87	60	30	40	8	31
27T10-40	6F	27.00	AL	84.10	91	60	30	40	8	32
28T10-40	6F	28.00	AL	87.25	93	60	30	40	8	33
30T10-40	6F	30.00	AL	93.65	97	60	30	40	8	35
32T10-40	6F	32.00	AL	100.00	106	65	30	40	10	38
36T10-40	6F	36.00	AL	112.75	119	70	30	40	10	43
40T10-40	6F	40.00	AL	125.45	131	80	30	40	10	47
44T10-40	6	44.00	AL	138.20	-	88	30	40	10	-
48T10-40	6	48.00	AL	150.95	-	95	30	40	16	-
60T10-40	6	60.00	AL	189.10	-	110	30	40	16	-

AT 10(Ptch=10mm)

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	De	Df	Dm	F	L	d	挡板号 Flnge Code
18T10-47	6F	18.00	AL	55.45	60	40	37	47	10	21
19T10-47	6F	19.00	AL	58.60	66	44	37	47	10	24
20T10-47	6F	20.00	AL	61.80	66	46	37	47	12	24
22T10-47	6F	22.00	AL	68.15	75	52	37	47	12	27
24T10-47	6F	24.00	AL	74.55	83	58	37	47	12	29
25T10-47	6F	25.00	AL	77.70	83	60	37	47	12	29
26T10-47	6F	26.00	AL	80.90	87	60	37	47	12	31
27T10-47	6F	27.00	AL	84.10	91	60	37	47	12	32
28T10-47	6F	28.00	AL	87.25	93	60	37	47	12	33
30T10-47	6F	30.00	AL	93.65	97	60	37	47	12	35
32T10-47	6F	32.00	AL	100.00	106	65	37	47	12	38
36T10-47	6F	36.00	AL	112.75	119	70	37	47	16	43
40T10-47	6F	40.00	AL	125.45	131	80	37	47	16	47
44T10-47	6	44.00	AL	138.20	-	88	37	47	16	-
48T10-47	6	48.00	AL	150.95	-	95	37	47	16	-
60T10-47	6	60.00	AL	189.10	-	110	37	47	16	-

AT 10(Pitch=10mm)

规格代码 Prt Code	齿数 Number of Teett	结构 Type	材料 Mt.	De	Df	Dm	F	L	d	挡板号 Flnge Code
18T10-66	6F	18.00	AL	55.45	60	40	56	66	10	21
19T10-66	6F	19.00	AL	58.60	66	44	56	66	10	24
20T10-66	6F	20.00	AL	61.80	66	46	56	66	12	24
22T10-66	6F	22.00	AL	68.15	75	52	56	66	12	27
24T10-66	6F	24.00	AL	74.55	83	58	56	66	12	29
25T10-66	6F	25.00	AL	77.70	83	60	56	66	12	29
26T10-66	6F	26.00	AL	80.90	87	60	56	66	12	31
27T10-66	6F	27.00	AL	84.10	91	60	56	66	12	32
28T10-66	6F	28.00	AL	87.25	93	60	56	66	12	33
30T10-66	6F	30.00	AL	93.65	97	60	56	66	12	35
32T10-66	6F	32.00	AL	100.00	106	65	56	66	12	38
36T10-66	6F	36.00	AL	112.75	119	70	56	66	16	43
40T10-66	6F	40.00	AL	125.45	131	80	56	66	16	47
44T10-66	6	44.00	AL	138.20	-	88	56	66	16	-
48T10-66	6	48.00	AL	150.95	-	95	56	66	16	-
60T10-66	6	60.00	AL	189.10	-	110	56	66	16	-

HTD 3M-06

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
10-3M-06	10	1F	AL	9.55	8.79	13	13	-	7.2	14.5	-	501
12-3M-06	12	1F	AL	11.46	10.70	15	15	-	7.2	14.5	-	502
14-3M-06	14	1F	AL	13.37	12.60	16	16	-	7.2	14.5	-	503
15-3M-06	15	1F	AL	14.32	13.56	17.5	17.5	-	7.2	14.5	-	516
16-3M-06	16	6F	AL	15.28	14.52	17.5	10	-	9.8	17.5	-	504
18-3M-06	18	6F	AL	17.19	16.43	20	11	-	9.8	17.5	-	505
19-3M-06	20	6F	AL	19.10	18.34	23	13	-	9.8	17.5	-	517
21-3M-06	21	6F	AL	20.05	19.29	25	13	-	9.8	17.5	-	518
22-3M-06	22	6F	AL	21.01	20.25	25	13	-	9.8	17.5	-	518
24-3M-06	24	6F	AL	22.92	22.16	25	13	-	9.8	17.5	-	518
26-3M-06	26	6F	AL	24.83	24.07	28	16	-	9.8	17.5	-	508
28-3M-06	28	6F	AL	26.74	25.98	32	18	-	9.8	17.5	-	509
30-3M-06	30	6F	AL	28.65	27.89	32	20	-	9.8	17.5	-	509
32-3M-06	32	6F	AL	30.56	29.80	36	22	-	9.8	17.5	-	510
36-3M-06	36	6F	AL	34.38	33.62	39	26	-	10.3	18	-	519
40-3M-06	40	6F	AL	38.20	37.44	42	28	-	10.3	18	-	513
44-3M-06	44	6F	AL	42.02	41.26	48	33	-	10.3	18	-	520
48-3M-06	48	6	AL	45.84	45.08	-	33	-	10.3	19	8	-
60-3M-06	60	6	AL	57.30	56.54	-	33	-	10.3	19	8	-
72-3M-06	72	6	AL	68.75	67.99	-	33	-	10.3	19	8	-

HTD 3M-09

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	封料 Mt	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
10-3M-09	10	1F	AL	9.55	8.79	13	13	-	10.2	17.5	-	501
12-3M-09	12	1F	AL	11.46	10.70	15	15	-	10.2	17.5	-	502
14-3M-09	14	1F	AL	13.37	12.61	16	16	-	10.2	17.5	-	503
15-3M-09	15	1F	AL	14.32	13.56	17.5	17.5	-	10.2	17.5	-	516
16-3M-09	16	6F	AL	15.28	14.52	17.5	10	-	12.8	20.6	-	504
18-3M-09	18	6F	AL	17.19	16.43	20	11	-	12.8	20.6	-	505
20-3M-09	20	6F	AL	19.10	18.34	23	13	-	12.8	20.6	-	517
21-3M-09	21	6F	AL	20.05	19.29	25	13	-	12.8	20.6	-	518
22-3M-09	22	6F	AL	21.01	20.25	25	13	-	12.8	20.6	-	518
24-3M-09	24	6F	AL	22.92	22.16	25	13	-	12.8	20.6	-	518
26-3M-09	26	6F	AL	24.83	24.07	28	16	-	12.8	20.6	-	508
28-3M-09	28	6F	AL	26.74	25.98	32	18	-	12.8	20.6	-	509
30-3M-09	30	6F	AL	28.65	27.89	32	20	-	12.8	20.6	-	509
32-3M-09	32	6F	AL	30.56	29.80	36	22	-	12.8	20.6	-	510
36-3M-09	36	6F	AL	34.38	33.62	39	26	-	13.4	22.2	-	519
40-3M-09	40	6F	AL	38.20	37.44	42	28	-	13.4	22.2	-	513
44-3M-09	44	6F	AL	42.02	41.26	48	33	-	13.4	22.2	-	520
48-3M-09	48	6	AL	45.84	45.08	-	33	-	13.4	22.2	8	-
60-3M-09	60	6	AL	57.30	56.54	-	33	-	13.4	22.2	8	-
72-3M-09	72	6	AL	68.75	67.99	-	33	-	13.4	22.2	8	-

HTD 3M-15

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
10-3M-15	10	1F	AL	9.55	8.79	13	13	-	17.0	26	-	501
12-3M-15	12	1F	AL	11.46	10.70	15	15	-	17.0	26	-	502
14-3M-15	14	1F	AL	13.37	2.60	16	16	-	17.0	26	-	503
15-3M-15	15	1F	AL	14.32	13.56	17.5	17.5	-	17.0	26	-	516
16-3M-15	16	6F	AL	15.28	14.52	17.5	10	-	19.5	26	-	504
18-3M-15	18	6F	AL	17.19	16.43	20	10.6	-	19.5	26	-	505
20-3M-15	20	6F	AL	19.10	18.34	23	12.4	-	19.5	26	-	517
21-3M-15	21	6F	AL	20.05	19.29	25	13	-	19.5	26	-	518
22-3M-15	22	6F	AL	21.01	20.25	25	13	-	19.5	26	-	518
24-3M-15	24	6F	AL	22.92	22.16	25	13	-	19.5	26	-	518
26-3M-15	26	6F	AL	24.83	24.07	28	16	-	19.5	26	-	508
28-3M-15	28	6F	AL	26.74	25.98	32	18	-	19.5	26	-	509
30-3M-15	30	6F	AL	28.65	27.89	32	20	-	19.5	26	-	509
32-3M-15	32	6F	AL	30.56	29.80	36	22	-	19.5	26	-	510
36-3M-15	36	6F	AL	34.38	33.62	39	26	-	20.0	30	-	519
40-3M-15	40	6F	AL	38.20	37.44	42	28	-	20.0	30	-	513
44-3M-15	44	6F	AL	42.02	41.26	48	33	-	20.0	30	-	520
48-3M-15	48	6	AL	45.84	45.08	-	33	-	20.0	30	8	-
60-3M-15	60	6	AL	57.30	56.54	-	33	-	20.0	30	8	-
72-3M-15	72	6	AL	68.75	67.99	-	33	-	20.0	30	8	-

HTD 5M-09

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
12-5M-09	12	6F	STEEL	19.10	17.96	23	12	-	14.5	20	-	14
14-5M-09	14	6F	STEEL	22.28	21.14	25	13	-	14.5	20	-	2
15-5M-09	15	6F	STEEL	23.87	22.73	28	16	-	14.5	20	-	4
16-5M-09	16	6F	STEEL	25.46	24.32	28	16.2	-	14.5	20	-	4
18-5M-09	18	6F	STEEL	28.65	27.50	32	20	-	14.5	20	-	
20-5M-09	20	6F	STEEL	31.83	30.69	36	23	-	14.5	23	-	8
21-5M-09	21	6F	STEEL	33.42	32.28	38	24	-	14.5	23	-	9
22-5M-09	22	6F	STEEL	35.01	33.87	39	25.5	-	14.5	23	-	15
24-5M-09	24	6F	STEEL	38.20	37.06	42	27	-	14.5	23	-	13
26-5M-09	26	6F	STEEL	41.38	40.24	44	30	-	14.5	23	-	12
28-5M-09	28	6F	STEEL	44.56	43.42	48	30.5	-	14.5	23	-	11
30-5M-09	30	6F	STEEL	47.75	46.60	51	35	-	14.5	23	-	16
32-5M-09	32	6F	STEEL	50.93	49.79	54	38	-	14.5	23	8	18
36-5M-09	36	6F	STEEL	57.30	56.16	60	38	-	14.5	23	8	21
40-5M-09	40	6F	STEEL	63.66	62.52	71	38	-	14.5	23	8	25
44-5M-09	44	6W	AL	70.03	68.89	-	38	54	14.5	26	8	-
48-5M-09	48	6W	AL	76.39	75.25	-	45	61	14.5	26	8	-
60-5M-09	60	6W	AL	95.49	94.35	-	45	80	14.5	26	8	-
72-5M-09	72	6W	AL	114.59	113.45	-	45	100	14.5	26	8	-

HTD 5M-15

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
12-5M-15	12	6F	STEEL	19.10	17.96	23	12	-	20.5	26	-	14
14-5M-15	14	6F	STEEL	22.28	21.14	25	13	-	20.5	26	-	2
15-5M-15	15	6F	STEEL	23.87	22.73	28	16	-	20.5	26	-	4
16-5M-15	16	6F	STEEL	25.46	24.32	28	16.2	-	20.5	26	-	4
18-5M-15	18	6F	TEE	28.65	27.51	32	20	-	20.5	26	-	6
20-5M-15	20	6F	STEE[	31.83	30.69	36	23	-	20.5	26	-	8
21-5M-15	21	6F	STEEL	33.42	32.28	38	24	-	20.5	26	-	9
22-5M-15	22	6F	CTFE	35.00	33.87	39	25.5	-	20.5	26	-	15
24-5M-15	24	6F	STEEL	38.20	37.06	42	27	-	20.5	28	-	13
26-5M-15	26	6F	STEEL	41.38	40.24	44	30	-	20.5	28	-	12
28-5M-15	28	6F	STEEL	44.56	43.42	48	30.5	-	20.5	28	-	11
30-5M-15	30	6F	STEEL	47.75	46.60	51	35	-	20.5	28	-	16
32-5M-15	32	6F	STEEL	50.93	49.79	54	38	-	20.5	28	8	18
36-5M-15	36	6F	STFFI	57.30	56.16	60	38	-	20.5	28	8	21
40-5M-15	40	6F	STEEL	63.66	62.52	71	38	-	20.5	28	8	25
44-5M-15	44	6W	L	70.03	68.89	-	38	54	20.5	30	8	-
48-5M-15	48	6W	L	76.39	75.25	-	45	61	20.5	30	8	-
60-5M-15	60	6W	L	95.49	94.35	-	45	80	20.5	30	8	-
72-5M-15	72	6W	L	14.59	113.45	-	45	100	20.5	30	8	-

HTD 5M-25

规格代码 Prt Code	齿数 Number of Teet	结构 Type	材料 Mt	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
12-5M-25	12	6F	STEEL	19.10	17.96	23	12	-	30.5	36	-	14
14-5M-25	14	6F	STEEL	22.28	21.14	25	13	-	30.5	36	-	2
15-5M-25	15	6F	STEEL	23.87	22.73	28	16	-	30.5	36	-	4
16-5M-25	16	6F	STEEL	25.46	24.32	28	16.2	-	30.5	36	-	4
18-5M-25	18	6F	STEEL	28.65	27.51	32	20	-	30.5	36	-	6
20-5M-25	20	6F	GTEEL	31.83	30.69	36	23	-	30.5	36	-	8
21-5M-25	21	6F	STEEL	33.42	32.28	38	24	-	30.5	39	-	9
22-5M-25	22	6F	STEEL	35.01	33.87	39	25.5	-	30.5	39	-	15
24-5M-25	24	6F	STEEL	38.20	37.06	42	27	-	30.5	39	-	13
26-5M-25	26	6F	STEEL	41.38	40.24	44	30	-	30.5	39	-	12
28-5M-25	28	6F	STEEL	456.00	43.42	48	30.5	-	30.5	39	-	11
30-5M-25	30	6F	STEEL	47.75	46.60	51	35	-	30.5	39	-	16
32-5M-25	32	6F	STEEL	50.93	49.79	54	38	-	30.5	39	8	18
36-5M-25	36	6F	STEEL	57.30	56.16	60	38	-	30.5	39	8	21
40-5M-25	40	6F	STEEL	63.66	62.52	71	38	-	30.5	39	8	25
44-5M-25	44	6W	L	70.03	68.89	-	38	54	30.5	41	8	-
48-5M-25	48	6W	L	76.39	75.25	-	45	61	30.5	41	8	-
60-5M-25	60	6W	L	95.49	94.35	-	45	80	30.5	41	8	-
72-5M-25	72	6W	L	114.59	113.45	-	45	100	30.5	41	8	-

HTD 8M-20

规格代码 Prt Code	齿数 Number of Teet	结构 Type	材料 Mt.	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
22-8M-20	22	6F	STEEL	56.02	54.65	60	43	-	28	38	12	53
24-8M-20	24	6F	STEEL	61.12	59.75	66	45	-	28	38	12	69
26-8M-20	26	6F	STEEL	66.21	64.84	70	48	-	28	38	12	61
28-8M-20	28	6F	STEEL	71.30	70.08	75	50	-	28	38	15	79
30-8M-20	30	6F	STEEL	76.39	75.13	83	55	-	28	38	15	73
32-8M-20	32	6F	STEEL	81.49	80.16	87	60	-	28	38	15	76
34-8M-20	34	6F	STEEL	86.58	85.22	91	70	-	28	38	15	66
36-8M-20	36	6F	STEEL	91.67	90.30	97	75	-	28	38	15	68
38-8M-20	38	6F	STEEL	96.77	95.39	102	75	-	28	38	15	70
40-8M-20	40	6F	STEEL	101.86	100.49	106	75	-	28	38	15	77
44-8M-20	44	6F	STEEL	112.05	110.67	120	75	-	28	38	15	75
48-8M-20	48	6F	STEEL	122.23	120.86	128	75	-	28	38	15	78
56-8M-20	56	6WF	STEEL	142.60	141.23	150	80	116	28	38	15	85
64-8M-20	64	6WF	STEEL	162.97	161.60	168	80	137	28	38	15	90
72-8M-20	72	6WF	STEEL	183.35	181.97	192	80	158	28	38	15	97
80-8M-20	80	6W	CSTIRON	203.72	202.35	-	90	180	28	38	15	-
90-8M-20	90	6A	CSTIRON	229.18	227.80	-	90	204	28	38	15	-
112-8M-20	112	6A	CSTIRON	285.20	283.83	-	90	254	28	38	18	-
144-8M-20	144	6A	CSTIRON	366.69	365.32	-	90	336	28	38	20	-
168-8M-20	168	6A	CSTIRON	427.81	426.44	-	100	400	28	38	20	-
192-8M-20	192	6A	CSTIRON	488.92	487.55	-	100	460	28	38	20	-

HTD 8M-30

规格代码 Prt Code	齿数 Vumber of Teet	结构 Type	材料 Mt.	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
22-8M-30	22	6F	STEEL	56.02	54.65	60	43	-	38	48	12	53
24-8M-30	24	6F	STEEL	61.12	59.75	66	45	-	38	48	12	69
26-8M-30	26	6F	STEEL	66.21	64.84	70	48	-	38	48	12	61
28-8M-30	28	6F	STEEL	71.30	70.08	75	50	-	38	48	15	79
30-8M-30	30	6F	STEEL	76.39	75.13	83	55	-	38	48	15	73
32-8M-30	32	6F	STEEL	81.49	80.16	87	60	-	38	48	15	76
34-8M-30	34	6F	STEEL	86.58	85.22	91	70	-	38	48	15	66
36-8M-30	36	6F	STEEL	91.67	90.30	97	75	-	38	48	15	68
38-8M-30	38	6F	STEEL	96.77	95.39	102	75	-	38	48	15	70
40-8M-30	40	6F	STEEL	101.86	100.49	106	75	-	38	48	15	77
44-8M-30	44	6F	STEEL	112.05	110.67	120	75	-	38	48	15	75
48-8M-30	48	6F	STEEL	122.23	120.86	128	75	-	38	48	15	78
56-8M-30	56	6WF	STEEL	142.60	141.23	150	90	116	38	48	15	85
64-8M-30	64	6WF	STEEL	162.97	161.60	168	90	137	38	48	15	90
72-8M-30	72	6WF	STEEL	183.35	181.97	192	95	158	38	48	15	97
80-8M-30	80	6W	CSTIRON	203.72	202.35	-	100	180	38	48	15	-
90-8M-30	90	6A	CSTIRON	18.00	227.81	-	100	204	38	48	15	-
112-8M-30	112	6A	CSTIRON	285.21	283.83	-	100	254	38	48	18	-
144-8M-30	144	6A	CSTIRON	366.69	365.32	-	100	336	38	48	20	-
168-8M-30	168	6A	CSTIRON	127.81	426.44	-	100	400	38	48	20	-
192-8M-30	192	6A	CSTIRON	88.92	487.55	-	100	460	38	48	20	-

HTD 8M-50

规格代码 Prt Code	齿数 Number of Teet	结构 Type	材料 Mt.	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
22-8M-50	22	6F	STEEL	56.02	54.65	60	43	-	60	70	12	53
24-8M-50	24	6F	STEEL	61.12	59.75	66	45	-	60	70	12	69
26-8M-50	26	6F	STEEL	66.21	64.84	70	48	-	60	70	15	61
28-8M-50	28	6F	STEEL	71.30	70.08	75	50	-	60	70	15	79
30-8M-50	30	6F	STEEL	76.39	75.13	83	55	-	60	70	15	73
32-8M-50	32	6F	STEEL	81.49	80.16	87	60	-	60	70	15	76
34-8M-50	34	6F	STEEL	86.58	85.22	91	70	-	60	70	15	66
36-8M-50	36	6F	STEEL	91.67	90.30	97	75	-	60	70	15	68
38-8M-50	38	6F	STEEL	96.77	95.39	102	75	-	60	70	15	70
40-8M-50	40	6F	STEEL	101.86	100.49	106	75	-	60	70	18	77
44-8M-50	44	6F	STEEL	112.05	110.67	120	75	-	60	70	18	75
48-8M-50	48	6F	STEEL	122.23	120.86	128	75	-	60	70	18	78
56-8M-50	56	10WF	STEEL	142.60	141.23	150	80	116	60	60	18	85
64-8M-50	64	10WF	STEEL	162.97	161.60	168	80	137	60	60	18	90
72-8M-50	72	10WF	STEEL	183.35	181.97	192	80	158	60	60	18	97
80-8M-50	80	10W	CSTIRON	203.72	202.35	-	110	180	60	60	18	-
90-8M-50	90	10A	CSTIRON	229.18	227.80	-	110	204	60	60	18	-
112-8M-50	112	10A	CSTIRON	285.21	283.83	-	110	254	60	60	18	-
144-8M-50	144	10A	CSTIRON	366.69	365.32	-	110	336	60	60	20	-
168-8M-50	168	10A	CSTIRON	427.81	426.44	-	120	400	60	60	20	-
192 M-5C	192	10A	CSTIRON	488.92	487.55	-	130	460	60	60	20	-

HTD 8M-85

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
22-8M-85	22	6F	STEEL	56.02	54.65	60	43	-	95	105	12	53
24-8M-85	24	6F	STEEL	61.12	59.75	66	45	-	95	105	12	69
26-8M-85	26	6F	STEEL	66.21	64.84	70	48	-	95	105	12	61
28-8M-85	28	6F	STEEL	71.30	70.08	75	50	-	95	105	15	79
30-8M-85	30	6F	STEEL	76.39	75.13	83	55	-	95	105	15	73
32-8M-85	32	6F	STEEL	81.49	80.16	87	60	-	95	105	15	76
34-8M-85	34	6F	STEEL	86.58	85.22	91	66	-	95	105	15	66
36-8M-85	36	6F	STEEL	91.67	90.30	97	70	-	95	105	15	68
38-8M-85	38	6F	STEEL	96.77	95.39	102	75	-	95	105	15	70
40-8M-85	40	6F	STEEL	101.86	100.49	106	75	-	95	105	18	77
44-8M-85	44	6F	STEEL	112.05	110.67	120	75	-	95	105	18	75
48-8M-85	48	6F	STEEL	122.23	120.86	128	80	-	95	105	18	78
56-8M-85	56	6F	STEEL	142.60	141.23	150	90	-	95	105	18	85
64-8M-85	64	10WF	STEEL	162.97	161.60	168	100	137	95	95	20	90
72-8M-85	72	10WF	STEEL	183.35	181.97	192	100	158	95	95	20	97
80-8M-85	80	10W	CSTIRON	203.72	202.35	-	110	180	95	95	20	-
90-8M-85	90	10A	CSTIRON	229.18	227.80	-	110	204	95	95	20	-
112-8M-85	112	10A	CSTIRON	285.20	283.83	-	110	254	95	95	24	-
144-8M-85	144	10A	CSTIRON	366.69	365.32	-	110	336	95	95	24	-
168-8M-85	168	10A	CSTIRON	427.80	426.44	-	120	400	95	95	24	-
192-8M-85	192	10A	CSTIRON	488.92	487.55	-	130	460	95	95	24	-

HTD 14M-40

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
28-14M-40	28	6F	STEEL	124.78	122.12	128	100	-	54	69	24	153
29-14M-40	29	6F	STEEL	129.23	126.57	138	100	-	54	69	24	154
30-14M-40	30	6F	STEEL	33.69	130.99	138	100	-	54	69	24	154
32-14M-40	32	6F	STEEL	142.60	139.88	154	100	-	54	69	24	160
34-14M-40	34	6F	STEEL	51.52	148.79	160	100	-	54	69	24	166
36-14M-40	36	6F	STEEL	160.43	157.68	168	100	-	54	69	24	168
38-14M-40	38	6F	STEEL	169.34	166.60	183	120	-	54	69	24	172
40-14M-40	40	6F	STEEL	178.25	175.49	188	120	-	54	69	24	162
44-14M-40	44	6F	STEEL	196.08	193.28	211	120	-	54	69	24	175
48-14M-40	48	6WF	CSTIRON	213.90	211.11	226	135	170	54	69	24	180
56-14M-40	56	6WF	CSTIRON	249.55	246.76	256	135	207	54	69	28	182
64-14M-40	64	6WF	CSTIRON	285.20	282.41	296	135	240	54	69	28	184
72-14M-40	72	6A	CSTIRON	320.86	318.06	-	135	280	54	69	28	-
80-14M-40	80	6A	CSTIRON	356.51	353.71	-	135	314	54	69	28	-
90-14M-40	90	6A	CSTIRON	401.07	398.28	-	135	358	54	69	28	-
112-14M-40	112	6A	CSTIRON	499.11	496.32	-	135	456	54	69	28	-
144-14M-40	144	6A	CSTIRON	641.71	638.92	-	135	600	54	69	28	-
168-14M-40	168	6A	CSTIRON	748.66	745.87	-	135	706	54	69	28	-
192-14M-40	192	6A	CSTIRON	855.62	852.82	-	135	813	54	69	28	-
216-14M-40	216	6A	CSTIRON	962.57	959.76	-	150	920	54	69	28	-

HTD 14M-55

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
28-14M-55	28	5F	STEEL	124.78	122.12	128	100	-	70	85	24	153
29-14M-55	29	6F	STEEL		0.00	132	100	-	70	85	24	154
30-14M-55	30	6F	STEEL	133.69	130.99	138	100	-	70	85	24	154
32-14M-55	32	6F	STEEL	142.60	139.88	154	100	-	70	85	24	160
34-14M-55	34	6F	STEEL	151.52	148.79	160	100	-	70	85	24	166
36-14M-55	36	6F	STEEL	160.43	157.68	168	100	-	70	85	24	168
38-14M-55	38	6F	STEEL	169.34	166.60	183	120	-	70	85	24	172
40-14M-55	40	6F	STEEL	178.25	175.49	188	120	-	70	85	24	162
44-14M-55	44	6F	STEEL	196.08	193.28	211	120	-	70	85	24	175
48-14M-55	48	10WF	CSTIRON	213.90	211.11	226	135	170	70	70	24	180
56-14M-55	56	10WF	CSTIRON	249.55	246.76	256	135	207	70	70	28	182
64-14M-55	64	10WF	CSTIRON	285.21	282.41	296	135	240	70	70	28	184
72-14M-55	72	10A	CSTIRON	320.86	318.06	-	135	280	70	70	28	-
80-14M-55	80	10A	CSTIRON	356.51	353.70	-	135	314	70	70	28	-
90-14M-55	90	10A	CSTIRON	401.07	398.28	-	135	358	70	70	28	-
112-14M-55	112	10A	CSTIRON	499.10	496.32	-	135	456	70	70	28	-
144-14M-55	144	10A	CSTIRON	641.70	638.92	-	135	600	70	70	28	-
168-14M-55	168	10A	CSTIRON	748.66	745.87	-	135	(06	70	70	28	-
192-14M-55	192	10A	CSTIRON	855.62	852.82	-	135	813	70	70	28	-
216-14M-55	216	10A	CSTIRON	962.57	959.76	-	150	920	70	70	28	-

HTD 14M-85

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
28-14M-85	28	6F	STFFL	24.78	122.12	128	100	-	102	117	24	153
29-14M-85	29	6F	STEEL	129.23	126.57	138	100	-	102	117	24	154
30-14M-85	30	6F	STFFL	133.69	130.99	138	100	-	102	117	24	154
32-14M-85	32	6F	STEEL	142.60	139.88	154	100	-	102	117	24	160
34-14M-85	34	6F	STFFL	151.52	148.79	160	100	-	102	117	24	166
36-14M-85	36	6F	STEEL	160.43	157.68	168	100	-	102	117	32	168
38-14M-85	38	6F	STFFL	169.34	166.60	183	120	-	102	117	32	172
40-14M-85	40	6F	STEEL	178.25	175.49	188	135	-	102	117	32	162
44-14M-85	44	6F	STFFL	196.08	193.28	211	135	-	102	117	32	175
48-14M-85	48	6F	STEEL	213.90	211.11	226	150	-	102	117	32	180
56-14M-85	56	10WF	CSTIRON	249.55	246.76	256	150	207	102	117	32	182
64-14M-85	64	10WF	CSTIRON	285.20	282.40	296	150	240	102	102	32	184
72-14M-85	72	10A	CSTIRON	320.86	318.06	-	150	278	102	102	32	-
80-14M-85	80	10A	CSTIRON	356.50	353.70	-	150	314	102	102	32	-
90-14M-85	90	10A	CSTIRON	401.07	398.28	-	150	358	102	102	32	-
112-14M-85	112	10A	CSTIRON	499.10	496.32	-	150	456	102	102	32	-
144-14M-85	144	10A	CSTIRON	641.70	638.92	-	150	600	102	102	32	-
168-14M-85	168	10A	CSTIRON	748.66	745.87	-	150	706	102	102	32	-
192-14M-85	192	10A	CSTIRON	855.62	852.82	-	165	813	102	102	32	-
216-14M-85	216	10A	CSTIRON	962.57	959.76	-	160	920	102	102	32	-

HTD 14M-115

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
28-14M-115	28	6F	STEEL	124.78	122.12	128	100	-	133	148	32	153
29-14M-115	29	6F	STEEL	129.23	126.57	138	100	-	133	148	32	154
30-14M-115	30	6F	STEEL	133.69	130.99	138	100	-	133	148	32	154
32-14M-115	32	6F	STEEL	142.60	139.88	154	100	-	133	148	32	160
34-14M-115	34	6F	STEEL	151.52	148.79	160	100	-	133	148	32	166
36-14M-115	36	6F	STEEL	160.43	157.68	168	100	-	133	148	32	168
38-14M-115	38	6F	STEEL	169.34	166.60	183	120	-	133	148	32	172
40-14M-115	40	6F	STEEL	178.25	175.49	188	135	-	133	148	32	162
44-14M-115	44	6F	STEEL	196.08	193.28	211	140	-	133	148	32	175
48-14M-115	48	6F	STEEL	213.90	211.11	226	150	-	133	148	32	180
56-14M-115	56	6F	STEEL	249.55	246.76	256	150	-	133	148	32	182
64-14M-115	64	10WF	CSTIRON	285.20	282.40	296	150	240	133	133	32	184
72-14M-115	72	10A	CSTIRON	320.86	318.06	-	150	278	133	133	32	-
80-14M-115	80	10A	CSTIRON	356.50	353.70	-	150	314	133	133	32	-
90-14M-115	90	10A	CSTIRON	401.07	398.28	-	150	358	133	133	32	-
112-14M-115	112	10A	CSTIRON	499.10	496.32	-	150	456	133	133	32	-
144-14M-115	144	10A	CSTIRON	641.70	638.92	-	165	600	133	133	32	-
168-14M-115	168	10A	CSTIRON	748.66	745.87	-	165	706	133	133	32	-
192-14M-115	192	10A	CSTIRON	55.62	852.82	-	165	813	133	133	32	-
216-14M-115	216	10A	CSTIRON	962.57	959.76	-	165	920	133	133	32	-

HTD 14M-170

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	Dp	De	Df	Dm	Di	F	L	d	挡板号 Flnge Code
28-14M-170	28	6F	STEEL	124.78	122.12	128	100	-	187	202	32	153
29-14M-170	29	6F	STEEL	129.23	126.57	138	100	-	187	202	32	154
30-14M-170	30	6F	STEEL	133.69	130.99	138	100	-	187	202	32	154
32-14M-170	32	6F	STEEL	142.60	139.88	154	100	-	187	202	32	160
34-14M-170	34	6F	STEEL	151.52	148.79	160	100	-	187	202	32	166
36-14M-170	36	6F	STEEL	160.43	157.68	168	100	-	187	202	32	168
38-14M-170	38	6F	STEEL	169.34	166.60	183	120	-	187	202	32	172
40-14M-170	40	6F	STEEL	178.25	175.49	188	135	-	187	202	32	162
44-14M-170	44	6F	STEEL	196.08	193.28	211	140	-	187	202	32	175
48-14M-170	48	6F	STEEL	213.90	211.11	226	150	-	187	202	32	180
56-14M-170	56	6F	STEEL	249.55	246.76	256	150	-	187	202	32	182
64-14M-170	64	10WF	STEEL	285.21	282.41	296	150	240	187	187	32	184
72-14M-170	72	10A	CSTIRON	320.86	318.06	-	150	278	187	187	32	-
80-14M-170	80	10A	CSTIRON	356.51	353.70	-	150	314	187	187	32	-
90-14M-170	90	10A	CSTIRON	401.07	398.28	-	150	358	187	187	32	-
112-14M-170	112	10A	CSTIRON	499.10	496.32	-	150	456	187	187	32	-
144-14M-170	144	10A	CSTIRON	641.70	638.92	-	165	600	187	187	32	-
168-14M-170	168	10A	CSTIRON	748.66	745.87	-	165	706	187	187	32	-
192-14M-170	192	10A	CSTIRON	855.62	852.82	-	165	813	187	187	32	-
216-14M-170	216	10A	CSTIRON	962.57	959.76	-	165	920	187	187	32	-

HTD 5M-15

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Flinge Code
TL34-5M-15	34	3F	STEEL	1008	54.11	52.97	57	-	-	22	22	-	20
TL36-5M-15	36	3F	STEEL	1108	57.30	56.15	60	-	-	22	22	-	21
TL38-5M-15	38	3F	STEEL	1108	60.48	59.34	66.5	-	-	22	22	-	24
TL40-5M-15	40	3F	STEEL	1108	63.66	62.57	71	-	-	22	22	-	25
TL44-5M-15	44	3F	STEEL	1108	70.03	68.89	75	-	-	22	22	-	27
TL48-5M-15	48	8F	STEEL	1210	76.39	75.25	83	59	-	22	25	3	29
TL56-5M-15	56	8F	STEEL	1210	89.13	87.39	93	70	-	22	25	3	33
TL64-5M-15	64	8F	STEEL	1210	101.86	100.72	106	80	-	22	25	3	38
TL72-5M-15	72	8	STEEL	161	114.59	113.45	-	92	-	22	25	3	-
TL80-5M-15	80	8	STEEL	1610	127.32	126.18	-	92	-	22	25	3	-
TL90-5M-15	90	8	STEEL	1610	143.24	142.10	-	92	-	22	25	3	-
TL112-5M-15	112	8	STEEL	2012	178.25	177.11	-	110	-	20	32	12	-
TL136-5M-15	136	7A	STEEL	2012	216.45	215.31	-	110	199	20	32	6	-

HTD 8M-20

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Inge Coc
TL22-8M-20	22	5F	STEEL	1108	56.02	56.45	60	-	37	28	22	6	53
TL24-8M-20	24	5F	STEEL	1108	61.12	59.75	66	-	44	28	22	6	69
TL26-8M-20	26	5F	STEEL	1108	66.21	64.84	70	-	45	28	22	6	61
TL28-8M-20	28	5F	STEEL	1108	71.30	70.08	75	-	50	28	22	6	79
TL30-8M-20	30	5F	STEEL	1108	76.39	75.13	83	-	58	28	22	6	73
TL32-8M-20	32	5F	STEEL	1610	81.49	80.61	87	-	63	28	25	3	76
T134-8M-20	34	5F	STEEL	1610	86.58	85.20	91	-	64	28	25	3	66
TL36-8M-20	36	5F	STEEL	1610	91.67	90.30	97	-	68	28	25	3	68
TL38-8M-20	38	5F	STEEL	1610	96.77	95.39	107	-	72	28	25	3	70
TL40-8M-20	40	5F	STEEL	1610	101.86	100.49	106	-	76	28	25	3	77
TL44-8M-20	44	8F	STEEL	2017	112.05	110.67	120	93	-	28	32	4	75
TL48-8M-20	48	8F	STEEL	2012	122.23	120.86	128	96	-	28	32	4	78
TL56-8M-20	56	8F	STEEL	2012	142.60	141.23	150	110	-	28	32	4	85
TL64-8M-20	64	8WF	STEEL	2012	162.97	161.60	168	110	137	28	32	4	90
TL72-8M-20	72	8WF	STEEL	2012	183.35	181.97	192	110	158	28	32	4	97
TL80-8M-20	80	8W	CSTIRON	2012	203.72	202.35	-	110	180	28	32	4	-
TL90-8M-20	90	8A	CSTIRON	2012	229.18	227.81	-	110	204	28	32	4	-
TL144-8M-20	144	8A	CSTIRON	2517	366.69	365.32	-	-	336	28	32	4	-

HTD 8M-30

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Inge Coc
TL22-8M-30	22	5F	STEEL	1108	56.07	56.46	60	-	37	38	22	16	53
TL24-8M-30	24	5F	STEEL	1108	61.12	59.75	66	-	44	38	22	16	69
TL26-8M-30	26	5F	STEEL	1108	56.21	64.84	70	-	44	38	22	16	61
TL28-8M-30	28	5F	STEEL	1210	71.30	70.08	75	-	-	38	25	13	79
TL30-8M-30	30	3F	STEEL	1615	76.39	75.13	83	-	-	38	38	-	73
TL32-8M-30	32	3F	STEEL	1615	81.49	80.16	87	-	-	38	38	-	76
TL34-8M-30	34	3F	STEEL	1615	86.58	85.22	91	-	-	38	38	-	66
TL36-8M-30	36	3F	STEEL	1615	91.67	90.30	97	-	-	38	38	-	68
TL38-8M-30	38	3F	STEEL	1615	96.77	95.39	102	-	-	38	38	-	70
TL40-8M-30	40	3F	STEEL	1615	101.86	100.49	106	-	-	38	38	-	77
TL44-8M-30	44	4F	STEEL	2012	112.05	110.67	120	-	86	38	32	3	75
TL48-8M-30	48	4F	STEEL	2012	122.23	120.86	128	-	90	38	32	3	78
TL56-8M-30	56	4F	STEEL	2012	142.60	141.23	150	-	110	38	32	3	85
TL64-8M-30	64	8F	STEEL	2517	162.97	161.60	168	125	-	38	45	7	90
TL72-8M-30	72	8WF	STEEL	2517	183.35	181.97	192	125	158	38	45	7	97
TL80-8M-30	80	8W	CSTIRON	2517	203.72	202.35	-	125	180	38	45	7	-
TL90-8M-30	90	8A	CSTIRON	2517	229.18	227.81	-	125	204	38	45	7	-
TL112-8M-30	112	8A	CSTIRON	2517	285.21	283.83	-	125	152	38	45	7	-
TL144-8M-30	144	8A	CSTIRON	2507	366.69	365.32	-	125	336	38	45	7	-

HTD 8M-50

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Inge Coc
TL28-8M-50	28	4F	STEEL	1210	71.30	70.08	75	-	50	60	25	18	79
TL30-8M-50	30	5F	STEEL	1615	76.39	75.13	83	-	58	60	38	22	73
TL32-8M-50	32	5F	STEEL	1610	81.49	80.16	87	-	62	60	38	22	76
TL34-8M-50	34	5F	STEEL	1615	86.58	85.22	91	-	65	60	38	22	66
TL36-8M-50	36	5F	STEEL	1615	91.67	90.30	97	-	68	60	38	22	68
TL38-8M-50	38	5F	STEEL	1615	96.77	95.39	102	-	72	60	38	22	70
TL40-8M-50	40	4F	STEEL	2012	101.86	100.49	106	-	82	60	32	14	77
TL44-8M-50	44	4F	STEEL	2017	112.05	101.86	120	-	91	60	32	14	75
TL48-8M-50	48	4F	STEEL	2012	122.23	120.86	128	-	95	50	32	14	78
TL56-8M-50	56	4F	STEEL	2517	142.60	141.23	150	-	116	60	45	8	85
TL64-8M-50	64	4F	STEEL	2517	162.97	161.60	168	-	137	60	45	8	90
TL72-8M-50	72	9WF	STEEL	2517	183.35	181.97	192	125	158	60	45	8	97
TL80-8M-50	80	4	CASTIRON	3020	203.72	202.35	-	-	180	60	51	5	-
TL90-8M-50	90	9W	CASTIRON	3020	229.18	227.81	-	170	204	50	51	5	-
TL112-8M-50	112	9W	CASTIRON	3020	285.21	283.83	-	170	260	60	51	5	-
TL144-8M-50	144	9A	CASTIRON	3020	366.69	365.32	-	170	341	60	51	5	-
TL168-8M-50	168	7A	CASTIRON	3525	427.81	426.44	-	198	395	60	65	3	-
TL192-8M-50	192	7A	CASTIRON	3525	488.92	487.55	-	198	45	60	65	3	-

HTD 8M-85

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Inge Coc
TL34-8M-85	34	4F	STEEL	1615	86.58	85.22	91	-	65	95	38	29	66
TL36-8M-85	36	4F	STEEL	1615	91.67	90.30	97	-	68	95	38	29	68
TL38-8M-85	38	4F	STEEL	1615	96.77	95.39	102	-	72	95	38	29	70
TL40-8M-85	40	4F	STEEL	2012	101.86	100.49	106	-	82	95	32	32	77
TL44-8M-85	44	4F	STEEL	2012	112.05	110.67	120	-	91	95	32	32	75
TL48-8M-85	48	4F	STEEL	2517	122.23	120.86	128	-	100	95	45	25	78
TL56-8M-85	56	4F	STEEL	2517	142.60	141.23	150	-	117	95	45	25	85
TL64-8M-85	64	4F	STEEL	2517	162.97	161.60	168	-	137	95	45	25	90
TL72-8M-85	72	4F	STEEL	3020	183.35	181.97	192	-	158	95	51	22	97
TL80-8M-85	80	4	CASTIRON	3020	203.72	202.35	-	-	180	95	51	22	-
TL90-8M-85	90	9W	CASTIRON	3020	229.18	227.81	-	170	204	95	51	22	-
TL112-8M-85	112	9W	CASTIRON	3020	285.21	283.83	-	170	260	95	51	22	-
TL144-8M-85	144	9A	CASTIRON	3525	366.69	365.32	-	198	336	95	65	15	-
TL168-8M-85	168	9A	CASTIRON	3576	427.81	426.44	-	198	395	95	65	15	-
TL192-8M-85	192	9A	CASTIRON	3525	488.92	487.55	-	198	455	95	65	15	-

HTD 14M-40

规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Inge Coc
TL28-14M-40	28	4F	STEEL	2012	124.78	122.12	128	-	94	54	32	11	153
TL29-14M-40	29	4F	STEEL	2012	129.26	126.57	138	-	98	54	32	11	154
TL30-14M-40	30	4F	STEEL	2012	133.69	130.99	138	-	98	54	32	11	154
TL32-14M-40	32	4F	STEEL	2012	142.60	139.88	154	-	108	54	32	11	160
TL34-14M-40	34	4F	STEEL	2517	151.52	148.79	160	-	110	54	45	5	166
TL36-14M-40	36	4F	STEEL	2517	160.43	157.68	168	-	120	54	45	5	168
TL38-14M-40	38	4F	STEEL	2517	169.34	166.60	183	-	130	54	45	5	172
TL40-14M-40	40	4F	STEEL	2517	178.25	175.49	188	-	138	54	45	5	162
TL44-14M-40	44	4F	STEEL	3020	196.08	193.28	211	-	155	54	51	2	175
TL48-14M-40	48	4F	STEEL	3020	213.90	211.11	226	-	170	54	51	2	180
TL56-14M-40	56	9WF	STEEL	3020	249.55	246.76	256	170	208	54	51	2	182
TL64-14M-40	64	9WF	CASTIRON	3020	285.21	282.41	296	170	240	54	51	2	184
TL72-14M-40	72	9W	CASTIRON	3020	320.86	318.06	-	170	280	54	51	2	-
TL80-14M-40	80	9A	CASTIRON	3020	356.51	353.71	-	170	315	54	51	2	-
TL90-14M-40	90	9A	CASTIRON	3020	401.07	398.28	-	170	360	54	51	2	-
TL112-14M-40	112	9A	CASTIRON	3020	499.11	496.32	-	170	457	54	51	2	-
TL144-14M-40	144	9A	CASTIRON	3020	541.71	638.92	-	170	600	54	51	2	-
TL168-14M-40	168	9A	CASTIRON	3020	748.66	745.87	-	170	706	54	51	2	-
TL192-14M-40	192	9A	CASTIRON	3020	855.62	852.82	-	170	813	54	51	2	-
TL216-14M-40	216	9A	CASTIRON	3020	962.57	959.76	-	170	920	54	51	2	-

HTD 14M-55													
规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Inge Coc
T128-14M-55	28	4F	STEEL	2012	124.78	122.12	128	-	94	70	32	19	153
TL29-14M-55	29	4F	STEEL	2012	129.23	126.50	138	-	100	70	32	19	154
TL30-14M-55	30	4F	STEEL	2517	133.69	130.99	138	-	100	70	45	13	154
TL32-14M-55	32	4F	STEEL	2517	142.60	139.88	154	-	108	70	45	13	160
TL34-14M-55	34	4F	STEEL	2517	151.52	148.79	160	-	110	70	45	13	166
TL36-14M-55	36	4F	STEEL	2517	160.43	157.68	168	-	120	70	45	13	168
TL38-14M-55	38	4F	STEEL	2517	169.34	166.60	183	-	130	70	45	13	172
TL40-14M-55	40	4F	STEEL	2517	178.25	175.49	188	-	138	70	45	13	162
TL44-14M-55	44	4F	STEEL	3020	196.08	193.28	211	-	155	70	51	10	175
TL48-14M-55	48	4F	STEEL	3020	213.90	211.11	226	-	170	71	51	10	180
TL56-14M-55	56	9WF	STEEL	3020	249.55	246.76	256	170	208	70	51	10	182
T64-14M-55	64	9WF	CASTIRON	3020	285.21	282.41	296	170	240	70	51	10	184
TL72-14M-55	72	9W	CASTIRON	3020	320.86	318.06	-	170	280	70	51	10	-
TL80-14M-55	80	9A	CASTIRON	3020	356.51	353.71	-	170	315	70	51	10	-
TL90-14M-55	90	9A	CASTIRON	3020	401.07	398.28	-	170	360	70	51	10	-
TL112-14M-55	112	9A	CASTIRON	3020	499.11	496.32	-	170	457	70	51	10	-
TL144-14M-55	144	9A	CASTIRON	3020	641.71	638.92	-	170	600	70	51	10	-
TL168-14M-55	168	9A	CASTIRON	3020	748.66	745.87	-	170	716	70	51	10	-
TL192-14M-55	192	9A	CASTIRON	3020	855.62	852.82	-	170	813	70	51	10	-
TL216-14M-55	216	7A	CASTIRON	3535	962.57	959.76	-	190	920	70	89	10	-

IHTD 14M-85													
规格代码 Prt Code	齿数 Number of Teeth	结构 Type	材料 Mt.	锥孔号 Bush Number	Dp	De	Df	Dm	Di	F	S	R	挡板号 Inge Coc
TL28-14M-85	28	4F	STEEL	2517	124.78	122.12	128	-	98	102	45	29	153
TL29-14M-85	29	4F	STEEL	2517	129.23	126.50	138	-	100	102	45	29	154
TL30-14M-85	30	4F	STEEL	2517	133.69	130.99	138	-	100	102	45	29	154
TL32-14M-85	32	4F	STEEL	7517	142.60	139.88	154	-	108	102	45	29	160
TL34-14M-85	34	4F	STEEL	2517	151.52	148.79	160	-	110	102	45	29	166
TL36-14M-85	36	4F	STEEL	3020	160.43	157.68	168	-	125	102	51	26	168
TL38-14M-85	38	4F	STEEL	3020	169.34	166.60	183	-	130	102	51	26	172
TL40-14M-85	40	4F	STEEL	3020	178.25	175.49	188	-	138	102	51	26	162
TL44-14M-85	44	4F	STEEL	3020	196.08	193.28	211	-	155	102	51	26	175
TL48-14M-85	48	4F	STEEL	3020	213.90	211.11	226	-	170	102	51	26	180
TL56-14M-85	56	4F	STEEL	3525	249.55	246.76	256	-	208	102	65	19	182
TL64-14M-85	64	9WF	CASTIRON	3525	285.21	282.41	296	190	240	102	65	19	184
TL72-14M-85	72	9W	CASTIRON	3525	320.86	318.06	-	190	280	102	65	19	-
TL80-14M-85	80	9A	CASTIRON	3525	356.51	353.71	-	190	315	102	65	19	-
TL90-14M-85	90	9A	CASTIRON	3525	401.07	398.28	-	190	360	102	65	19	-
TL112-14M-85	112	9A	CASTIRON	3525	499.11	496.32	-	190	457	102	65	19	-
TL144-14M-85	144	9A	CASTIRON	3525	641.71	638.92	-	190	600	102	65	19	-
TL168-14M-85	168	9A	CASTIRON	3525	748.66	745.87	-	190	706	102	65	19	-
TL192-14M-85	192	3A	CASTIRON	4040	855.62	852.82	-	190	813	102	102		-
TL216-14M-85	216	3A	CASTIRON	4040	962.57	959.76	-	190	920	102	102		-

□HTD 14M-115

规格代码 Prt Code	齿数 Number of Teet	结构 Type	材料 Mt.	锥孔号 Bush Nnumber	Dp	De	Df	Dm	Di	F	S	R	挡板号 Inge Coc
TL28-14M-115	28	4F	STEEL	2517	124.78	122.12	128	-	98	133	45	44	153
TL29-14M-115	29	4F	STEEL	2517	129.23	126.57	138	-	100	133	45	44	154
TL30-14M-115	30	4F	STEEL	2517	133.69	130.90	138	-	100	133	45	44	154
TL32-14M-115	32	4F	STEEL	2517	142.60	139.88	154	-	108	133	45	44	160
T' 34-14M-115	34	4F	STEEL	2517	151.52	148.79	160	-	110	133	45	44	166
TL36-14M-115	36	4F	STEEL	3020	160.43	157.68	168	-	125	133	51	41	168
TL38-14M-115	38	4F	STEEL	3020	169.34	166.60	183	-	130	133	51	41	172
TL40-14M-115	40	4F	STEEL	3020	178.25	175.49	188	-	138	133	51	41	162
TL44-14M-115	44	4F	STEEL	3020	196.08	193.28	211	-	155	133	76	29	175
TL48-14M-115	48	4F	STEEL	3020	213.90	211.11	226	-	170	133	76	29	180
TL56-14M-115	56	4F	STEEL	3535	249.55	246.76	256	-	208	133	89	22	182
TL64-14M-115	64	9WF	CASTIRON	3535	285.21	282.41	296	190	240	133	89	22	184
TL72-14M-115	72	9W	CASTIRON	3535	320.86	318.06	-	190	280	133	89	22	-
TL80-14M-115	80	9A	CASTIRON	3535	356.51	353.71	-	190	315	133	89	22	-
TL90-14M-115	90	9A	CASTIRON	3535	401.07	398.28	-	190	360	133	89	22	-
TL112-14M-115	112	9A	CASTIRON	3535	499.11	496.32	-	190	457	133	89	22	-
TL144-14M-115	144	9A	CASTIRON	4040	641.71	638.92	-	230	600	133	102	15	-
TL168-14M-115	168	9A	CASTIRON	4040	748.66	745.87	-	230	706	133	102	16	-
TL192-14M-115	192	9A	CASTIRON	4040	855.62	852.82	-	230	813	133	102	16	-
TL216-14M-115	216	9A	CASTIRON	4040	962.57	959.76	-	230	920	133	102	16	-

HTD 14M-170

规格代码 Prt Code	齿数 Number of Teet	结构	结构 Type	锥孔号 Buch M	Dp	De	Df	Dm	Di	F	S	R	挡板号 Inge Coc
TL38-14M-170	38	4F	STEEL	3030	169.34	166.60	183	-	130	187	76	56	172
TL40-14M-170	40	4F	STEEL	3030	178.25	175.49	188	-	138	187	76	56	162
TL44-14M-170	44	4F	STEEL	3535	196.08	193.28	211	-	153	187	89	49	175
TL48-14M-170	48	4F	STEEL	3535	213.90	211.11	226	-	170	187	89	49	180
TL56-14M-170	56	4F	STEEL	3535	249.55	246.76	256	-	208	187	89	49	182
TL64-14M-170	64	4F	CSTIRON	4040	285.21	282.41	296	-	240	187	102	43	184
TL72-14M-170	72	9W	CSTIRON	4040	320.86	318.06	-	230	280	187	102	43	-
TL80-14M-170	80	9W	CSTIRON	4040	356.51	353.71	-	230	315	187	102	43	-
TL90-14M-170	90	9A	CSTIRON	4040	401.07	398.28	-	230	360	187	102	43	-
TL112-14M-170	112	9A	CASTIRON	5050	499.11	496.32	-	265	457	187	127	30	-
TL144-14M-170	144	9A	CASTIRON	5050	641.71	638.92	-	265	600	187	127	30	-
TL168-14M-170	168	9A	CASTIRON	5050	748.66	745.87	-	265	706	187	127	30	-
TL192-14M-170	192	9A	CASTIRON	5050	855.62	852.82	-	265	813	187	127	30	-
TL216-14M-170	216	9A	CASTIRON	5050	962.57	959.76	-	265	920	187	127	30	-

HTD 3M							HTD 5M						
规格代码 Prt Code	齿数 Number of Teet	材料 Mt.	Dp	De	Lu	L	规格代码 Prt Code	齿数 Number of Teet	材料 Mt.	Dp	De	Lu	L
9-3M	9	AL	8.59	7.83	75	100	12-5M	12	AL	19.10	17.96	150	165
10-3M	10	AL	9.55	8.79	75	100	13-5M	13	AL	20.69	19.55	150	165
11-3M	11	AL	10.50	9.74	75	100	14-5M	14	AL	22.28	21.14	175	183
12-3M	12	AL	11.46	10.70	100	125	15-5M	15	AL	23.87	22.73	175	183
13-3M	13	AL	12.41	11.65	100	125	16-5M	16	AL	25.46	24.32	175	183
14-3M	14	AL	13.37	12.61	100	125	17-5M	17	AL	27.06	25.92	175	183
15-3M	15	AL	14.32	13.56	100	125	18-5M	18	AL	28.65	27.51	200	200
16-3M	16	AL	15.28	14.52	125	155	19-5M	19	AL	30.24	29.10	200	200
17-3M	17	AL	16.23	15.47	125	155	20-5M	20	AL	31.83	30.69	200	200
18-3M	18	AL	17.19	16.43	25	155	21-5M	21	AL	33.42	32.28	200	200
19-3M	19	AL	18.14	17.38	125	155	22-5M	22	AL	35.01	33.87	200	200
20-3M	20	AL	19.10	18.34	150	165	23-5M	23	AL	36.61	35.47	200	200
21-3M	21	AL	20.05	19.25	150	165	24-5M	24	AL	38.20	37.06	200	200
22-3M	22	AL	21.01	20.25	150	165	25-5M	25	AL	39.70	38.65	200	200
23-3M	23	AL	21.96	21.20	150	165	26-5M	26	AL	41.38	40.24	200	200
24-3M	24	AL	22.92	22.16	150	165	27-5M	27	AL	42.97	41.83	200	200
25-3M	25	AL	23.87	23.11	150	165	28-5M	28	AL	44.56	43.42	200	200
26-3M	26	AL	24.83	24.07	150	165	29-5M	29	AL	46.15	45.01	200	200
27-3M	27	AL	25.78	25.02	150	165	30-5M	30	AL	47.75	46.60	200	200
28-3M	28	AL	26.74	25.98	150	165	31-5M	31	AL	49.34	48.20	200	200
29-3M	29	AL	27.69	26.90	150	165	32-5M	32	AL	50.93	49.79	200	200
30-3M	30	AL	28.65	27.89	175	183	33-5M	33	AL	52.52	51.38	200	200
31-3M	31	AL	29.60	28.84	175	183	34-5M	34	AL	54.11	52.97	200	200
32-3M	32	AL	30.56	29.80	175	183	35-5M	35	AL	55.70	54.56	200	200
33-3M	33	AL	31.54	30.75	175	183	36-5M	36	AL	57.30	56.16	200	200
34-3M	34	AL	32.47	31.71	175	183	38-5M	38	AL	60.48	59.34	200	200
35-3M	35	AL	33.42	32.66	175	183	40-5M	40	AL	63.66	62.52	200	200
36-3M	36	AL	34.38	33.60	200	200	42-5M	42	AL	66.85	65.71	200	200
37-3M	37	AL	35.33	34.57	200	200	44-5M	44	AL	70.03	68.89	200	200
38-3M	38	AL	36.29	35.53	200	200	45-5M	45	AL	71.62	70.48	200	200
39-3M	39	AL	37.24	36.48	200	200	46-5M	46	AL	73.21	72.07	200	200
40-3M	40	AL	38.20	37.44	200	200	48-5M	48	AL	76.39	75.25	200	200
42-3M	42	AL	40.11	39.34	200	200	50-5M	50	AL	79.58	78.43	200	200
44-3M	44	AL	42.07	41.26	200	200	54-5M	54	AL	85.94	84.80	200	200
45-3M	45	AL	42.97	42.21	200	200	60-5M	60	AL	95.49	94.35	200	200
48-3M	48	AL	45.84	45.08	200	200	62-5M	62	AL	98.68	97.54	200	200
50-3M	50	AL	47.75	46.99	200	200	72-5M	72	AL	114.59	113.45	200	200
52-3M	52	AL	49.66	48.90	200	200							
54-3M	54	AL	51.57	50.80	200	200							
56-3M	56	AL	53.48	52.72	200	200							
60-3M	60	AL	57.30	56.54	200	200							
62-3M	62	AL	59.21	58.45	200	200							
64-3M	64	AL	61.12	60.36	200	200							
66-3M	66	AL	63.03	62.27	200	200							
68-3M	68	AL	64.94	64.18	200	200							
70-3M	70	AL	66.85	66.09	200	200							
72-3M	72	AL	68.75	67.99	200	200							



HTD 8M						
规格代码 Prt Code	齿数 Number of Teet	材料 Mt.	De	Lu	L	
18-8M	18	AL OR STEEL	44,47	200	200	
19-8M	19	AL OR STEEL	47,01	200	200	
20-8M	20	AL OR STEEL	49,56	200	200	
21-8M	21	AL OR STEEL	52,11	200	200	
22-8M	22	AL OR STEEL	54,65	200	200	
23-8M	23	AL OR STEEL	57,20	200	200	
24-8M	24	AL OR STEEL	59,75	200	200	
25-8M	25	AL OR STEEL	62,29	200	200	
26-8M	26	AL OR STEEL	64,84	200	200	
28-8M	28	AL OR STEEL	69,93	200	200	
30-8M	30	AL OR STEEL	75,02	200	200	
32-8M	32	AL OR STEEL	80,12	200	200	
34-8M	34	AL OR STEEL	85,21	200	200	
35-8M	35	AL OR STEEL	87,76	200	200	
36-8M	36	AL OR STEEL	90,30	200	200	
38-8M	38	AL OR STEEL	95,40	200	200	
40-8M	40	AL OR STEEL	100,49	200	200	
44-8M	44	AL OR STEEL	110,68	200	200	
48-8M	48	AL OR STEEL	120,86	200	200	



MXL-0.080~(mm 2.032)Mteril:AL					XL-1/5"(mm 5.08)Mteril:AL or STEEL					L-3/8"(mm 9.525)Mteril:AL or STEEL				
规格代码 Prt Code	齿数 Number of Teet	De	Lu	L	规格代码 prt Code	齿数 Number of Teet	De	Lu	L	规格代码 prt Code	齿数 Number of Teet	De	Lu	L
10MXL	10	5.97	50	75	10XL	10	15.66	125	140	10L	10	29.56	140	140
11MXL	11	6.60	50	75	11XL	11	17.28	125	140	11L	11	32.59	140	140
12MXL	12	7.26	50	75	12XL	12	18.90	125	140	12L	12	35.62	160	160
13MXL	13	7.90	50	75	13XL	13	20.51	125	140	13L	13	38.65	160	160
14MXL	14	8.56	50	75	14XL	14	22.13	132	140	14L	14	41.68	160	160
15MXL	15	9.19	50	75	15XL	15	23.75	132	140	15L	15	44.72	160	160
16MXL	16	9.83	50	75	16XL	16	25.36	140	140	16L	16	47.75	160	160
17MXL	17	10.49	50	75	17XL	17	26.98	140	140	17L	17	50.78	160	160
18MXL	18	11.12	50	75	18XL	18	28.60	140	140	18L	18	53.81	160	160
19MXL	19	11.78	90	120	19XL	19	30.22	140	140	19L	19	56.84	160	160
20MXL	20	12.42	90	120	20XL	20	31.83	140	140	20L	20	59.88	160	160
21MXL	21	13.08	90	120	21XL	21	33.45	160	160	21L	21	62.91	160	160
22MXL	22	13.72	125	140	22XL	22	35.07	160	160	22L	22	65.94	160	160
23MXL	23	14.38	125	140	23XL	23	36.60	160	160	23L	23	68.97	160	160
24MXL	24	15.01	125	140	24XL	24	38.30	160	160	24L	24	72.00	160	160
25MXL	25	15.67	125	140	25XL	25	39.93	160	160	27L	27	81.10	160	160
26MXL	26	16.31	125	140	26XL	26	41.53	160	160	30L	30	90.20	160	160
27MXL	27	16.94	125	140	27XL	27	43.15	160	160					
28MXL	28	16.70	125	140	28XL	28	44.77	160	160					
29MXL	29	18.24	125	140	29XL	29	46.39	160	160					
30MXL	30	18.90	125	140	30XL	30	48.00	160	160					
32MXL	32	20.19	125	140	32XL	32	51.24	160	160					
34MXL	34	21.49	125	140	34XL	34	52.76	160	160					
35MXL	35	22.12	132	140	35XL	35	54.47	160	160					
36MXL	36	22.78	132	140	36XL	36	56.09	160	160					
38MXL	38	24.08	132	140	38XL	38	57.70	160	160					
40MXL	40	25.37	132	140	40XL	40	60.94	160	160					
?MXL	42	26.67	140	140	47XL	42	62.56	160	160					
44MXL	44	27.94	140	140	44XL	44	64.17	160	160					
45MXL	45	28.60	140	140	45XL	45	65.79	160	160					
48MXL	48	30.53	140	140	48XL	48	67.41	160	160					
50MXL	50	32.33	140	140	50XL	50	69.02	160	160					
60MXL	60	38.30	160	160	60XL	60	70.64	160	160					
64MXL	64	40.89	160	160	64XL	64	77.11	160	160					
65MXL	65	41.53	160	160	65XL	65	90.04	160	160					
70MXL	70	44.78	160	160	70XL	70	96.51	160	160					
72MXL	72	46.05	160	160	72XL	72	115.92	160	160					
75MXL	75	48.01	160	160										
90MXL	90	57.71	160	160										
110MXL	110	70.64	160	160										



T2.5(Ptch 2.5mm)Mteril:AL					T5(Pitch 5mm) Mteril:AL					T10(Pitch10mm)Mteril:AL				
规格代码 Prt Code	齿数 Number of Teet	De	Lu	L	规格代码 Prt Code	齿数 Number of Teet	De	Lu	L	规格代码 Prt Code	齿数 Number of Teet	De	Lu	L
10-T2.5	10	7.42	50	75	10-T5	10	15.05	125	140	10-T10	10	29.98	140	140
12-T2.5	12	9.00	50	75	11-T5	11	16.65	125	140	11-T10	11	33.16	140	140
13-T2.5	13	9.80	50	75	12-T5	12	18.25	125	140	12-T10	12	36.35	140	140
14-T2.5	14	10.60	50	75	13-T5	13	19.85	125	140	13-T10	13	39.50	140	140
15-T2.5	15	11.40	50	75	14-T5	14	21.45	132	140	14-T10	14	42.70	160	160
16-T2.5	16	12.20	50	75	15-T5	15	23.05	132	140	15-T10	15	45.90	160	160
17-T2.5	17	13.00	50	75	16-T5	16	24.60	140	140	16-T10	16	49.10	160	160
18-T2.5	18	13.80	50	75	17-T5	17	26.20	140	140	17-T10	17	52.25	160	160
19-T2.5	19	14.60	90	120	18-T5	18	27.80	140	140	18-T10	18	55.45	160	160
20-T2.5	20	15.40	90	120	19-T5	19	29.40	160	160	19-T10	19	58.65	160	160
21-T2.5	21	16.20	90	120	20-T5	20	31.00	160	160	20-T10	20	61.80	160	160
22-T2.5	22	17.00	125	140	21-T5	21	32.70	160	160	21-T10	21	65.00	160	160
24-T2.5	24	18.55	125	140	22-T5	22	34.15	160	160	22-T10	22	68.20	160	160
26-T2.5	26	20.15	125	140	23-T5	23	35.85	160	160	23-T10	23	71.35	160	160
27-T2.5	27	20.95	125	140	24-T5	24	37.40	160	160	24-T10	24	74.55	160	160
28-T2.5	28	21.75	125	140	25-T5	25	38.95	160	160	26-T10	26	80.90	160	160
29-T2.5	29	22.55	125	140	26-T5	26	40.60	160	160	28-T10	28	87.25	160	160
30-T2.5	30	23.35	125	140	27-T5	27	42.20	160	160	30-T10	30	93.65	160	160
32-T2.5	32	24.95	125	140	28-T5	28	43.75	160	160	32-T10	32	100.00	160	160
34-T2.5	34	26.55	125	140	29-T5	29	45.35	160	160	34-T10	34	106.40	160	160
35-T2.5	35	27.35	132	140	30-T5	30	46.95	160	160	36-T10	36	112.75	160	160
36-T2.5	36	28.10	132	140	32-T5	32	50.10	160	160	38-T10	38	119.10	160	160
38-T2.5	38	29.70	132	140	34-T5	34	53.25	160	160	40-T10	40	125.45	160	160
40-T2.5	40	31.30	132	140	35-T5	35	54.85	160	160	45-T10	45	141.40	160	160
42-T2.5	42	37.90	140	140	36-T5	36	56.45	160	160	48-T10	48	150.95	160	160
44-T2.5	44	34.50	140	140	37-T5	37	58.06	160	160	60-T10	60	189.10	160	160
45-T2.5	45	35.30	140	140	38-T5	38	59.65	160	160	72-T10	72	227.29	160	160
48-T2.5	48	37.70	140	140	40-T5	40	52.85	160	160					
50-T2.5	50	39.29	160	160	42-T5	42	56.00	160	160					
60-T2.5	60	47.25	160	160	44-T5	44	69.20	160	160					
65-T2.5	65	51.20	160	160	45-T5	45	70.80	160	160					
70-T2.5	70	55.20	160	160	46-T5	46	72.40	160	160					
72-T2.5	72	56.80	160	160	48-T5	48	75.55	160	160					
90-T2.5	90	71.12	160	160	50-T5	50	78.75	160	160					
100-T2.5	100	79.08	160	160	60-T5	60	94.65	160	160					
					80-T5	80	126.48	160	160					
					90-T5	90	142.40	160	160					
					100-T5	100	158.31	160	160					

齿数 Teeth number (Z)	TEETH PROFILE of Timing Pulleys(同步轮齿形)											
	MXL	XL	L	H	3M	5M	8M	14M	XH	T2.5	T5(AT5)	T10(AT10)
	REACH fl nges c 由挡板规格代码											
10			50		501							7
11			50									9
12			52		502	14				501		13
13			83							501		12
14		4	54	59	503					502		11
15			55	60	516					502		16
16	502		56	61	504	4				503		18
17			57	62						503		20
18	503		58	63	505	6			155	504		21
19			59	64					156	505		24
20	503	9	60	76	517	8			157	505		24
21		9	61	66	518	9			158	505		26
22	504	10	62	67	518	15	53		159	512		27
23		13	63	68						512	10	27
24	505	12	63	70	518	13	69		161	512	13	29
25		12	64	71					162	506	12	29
26		11	65	72	508	12	61		163	507	12	31
27		11	65	74					164	507	11	32
28	506	16	66	75	509	11	79	153	175	507	11	33
29		16		75				154		507	16	
30	506	18	68	78	509	16	73	154	167	508	16	35
32	507	20	70	80	510	18	76	160	169	509	18	38
33			71	81						509		
34		22	72	81		20	66	166		509	21	72
35		22	72	85						509	22	
36	508	23	74	85	519	21	68	168		510	23	43
37											23	
38		24		86		24	70	172		510	24	78
39		24										
40	509	26	78	90	513	25	77	162	177	511	24	47
41		26										
42	509	27	80	94						511	26	
43		27										
44	510	27	81	95	520	27	75	175		513	27	
45			81	96							27	85
46											29	
48		29	85	100		29	78	180		513	29	86
50										514	31	
56		35				33	85	182				
60		38								515	38	100
64						48	90	184				
72						43	97					

1. Material: Q235 cold-rolled steel OR LY12-T4 Aluminium;

规格Code	外径E	内径M	折弯I	厚度S
501	13	6	10	0.5
502	15	8	12	0.5
503	16	9.5	13	0.5
504	17.5	11.6	14.5	0.5
505	20	12.2	16.5	0.5
506	25	14.5	21.5	0.5
507	26	17.8	24	0.5
508	28	20	25	0.5
509	32	23	27.5	0.5
510	36	25	31	0.5
511	38	26.5	34	0.5
512	22	14.5	19	0.5
513	42	30.5	38	0.5
514	44	32.5	40.5	0.5
515	51	40	47	0.5
516	17.5	10.5	14.5	0.5
517	23	14	20	0.5
518	25	15	21.5	0.5
519	39	28	34.5	0.5
520	48	37	43.5	0.5

规格Code	外径E	内径M	折弯I	厚度S
1	23	12.5	18	1
2	25	15	21.5	1
3	19.5	12	17.5	1
4	28	17.8	24	1
5	32	20	26	1
6	32	23	27.5	1
7	35	23	30.5	1
8	36	25	31	1
9	38	26.5	34	1
10	41	30	36	1
11	48	37	43.5	1
12	44	32.5	40.5	1
13	42	30.5	38	1
14	23	14	20	1
15	39	28	34.5	1
16	51	40	47	1
18	54	43	50.5	1
20	57	47	51.5	1
21	60	47	57	1
22	61	49	56.5	1
23	64	47	57	1
24	66.5	52	63	1
25	71	56	64	1
26	70	53	66.5	1
27	75	60	68.5	1
29	83	68	78	1
31	87	72	82.5	1
32	91	76	85.5	1
33	93	80	89	1
35	97	83	93.8	1
38	106	90	101	1
43	119	103	113.5	1
47	131	115	125.5	1

规格Code	外径E	内径M	折弯I	厚度S
50	37	25	33	1.5
51	39	28	34.5	1.5
52	43	31	39	1.5
53	60	47	57	1.5
54	48	37	42	1.5
55	51	38.5	45	1.5
56	54	43	48	1.5
57	57	46	51	1.5
58	60	48	54.2	1.5
59	64	47	57	1.5
60	66.5	53	60.2	1.5
61	70	53	64	1.5
62	75	57	68	1.5
63	79	60	72.5	1.5
64	82.5	64	76	1.5
65	86	68	81.5	1.5
66	91	73	86	1.5
67	94	76	88	1.5
68	97	79	92	1.5
69	66	52	61.5	1.5
70	102	82.5	97	1.5
71	106	86	100	1.5
72	112	91	105.5	1.5
73	83	68	76.5	1.5
74	115	94	109	1.5
75	120	99.5	112.5	1.5
76	87	72	82.5	1.5
77	106	90	101	1.5
78	128	107	121	1.5
79	75	60	70.5	1.5
80	135	115	128.5	1.5
81	142	120	137	1.5
82	82.5	67	76	1.5
83	44	32.5	40.5	1.5
85	150	130	145	1.5
86	158	138.5	153	1.5
90	168	148	161	1.5
94	180	154	174	1.5
95	184	162	177	1.5
96	192	165	181.5	1.5
97	192	173	187	1.5
100	200	180	193	1.5

规格Code	外径E	内径M	折弯I	厚度S
153	128	107	124	2.5
154	138	112	131	2.5
155	140	107	125	2.5
156	146	107	133	2.5
157	155	107	139	2.5
158	160	120	148	2.5
159	170	120	153	2.5
160	154	122	142	2.5
161	184	135	168	2.5
162	188	150	176	2.5
163	198	150	180	2.5
164	205	160	189	2.5
165	212	162	200	2.5
166	160	130	150	2.5
167	227	176	210	2.5
168	168	135	162	2.5
169	240	192	224	2.5
170	256	220	240	2.5
171	160	136	150	2.5
172	183	145	170	2.5
173	267	220	240	2.5
174	188	160	177	2.5
175	211	173	198	2.5
177	297	249	280	2.5
178	290	230	260	2.5
180	226	190	214	2.5
182	256	225	247	2.5
184	296	260	287	2.5

挡板
Flange

